# **PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS & DOMESTIC ANIMALS

### **CAUTION**

Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing of dust.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, butyl gloves, or nitrile gloves, or other gloves that glove selection charts or guidance indicate are chemical-resistant to the pesticide for the period of time required to perform the task, shoes plus socks, protective eyewear, and a dust filtering respirator with NIOSH approval number prefix TC-84A. It is recommended that you require that respirator wearers be trained in the use, maintenance, limitations, and fit testing of the respirator.

#### **FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply on or near valuable woody or herbaceous plants or on areas where their roots extend, because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Do not contaminate water when disposing of equipment washwaters.



### **WEED EASY**

NON-SELECTIVE HERBICIDE FOR CONTROLLING A WIDE RANGE OF ANNUAL AND PERENNIAL WEEDS AND GRASSES

> FOR USE ON NON-CROPLAND AREAS SUCH AS FENCEROWS, STORAGE YARDS AND INDUSTRIAL AREAS

#### **ACTIVE INGREDIENTS:**

Bromacil (5-bromo-3-	sec-butyl
-6-methyluracil)	4.00%
<b>INERT INGREDIENTS:</b>	96.00%
TOTAL	100.00%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

EPA REG. NO. 10088-76-68562 EPA EST. 10088-WI-1

NET CONTENTS:

□ 25 □ 50 □ 100 □ 200 POUNDS

Distributed By: Total Solutions™
PO Box 240014 • Milwaukee, WI 53224

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow others to enter treated area until dusts have settled.

This granular non-selective herbicide is used for controlling a wide range of annual and perennial weeds and grasses. Do not use in residential area. It is recommended only for non-cropland areas, such as railroad rights-of-ways and industrial areas. The application of 200 to 300 pounds of this product per acre usually results in a nonproductive condition for a period of a year or more. The duration of nonproductivity is dependent upon rainfall, type of soil and other conditions.

#### **DIRECTIONS**

Apply product as furnished using a seed spreader, fertilizer spreader, shaker type applicator or any equipment which will distribute this product over the area to be treated.

To control annual and most perennial weeds and grasses, apply at a rate of 200 to 300 pounds per acre; on smaller plots, use 1 lb. per 150 - 215 ft². Repeat spot treatment may be required when deep rooted perennial weeds are present. To obtain best results, apply to the ground where it will be absorbed by the roots. Applications early in the season have been found to give results superior to applications made later in the season. This product may, however, be applied at any time of the year. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season.

Users should consult State Agricultural Experimental Stations or Extension Service Weed specialists for recommendations as to use of this product in their particular area.

**IMPORTANT:** Do not apply on or near valuable woody or herbaceous plants or in areas where their roots may extend, because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes).

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage:** Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

**Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.