

Safety Data Sheet

Issue Date June 2, 2015

Version 1.0

1. IDENTIFICATION

Product Identifier

Product Name **Trailer Wash Acid**

Other Means of Identification

Product Code No.

Recommended use of the Chemical and Restrictions on Use

Recommended Use Aluminum brightener and Trailer Washing . For industrial use.

Details of the Supplier of the Safety Data Sheet

Lyn Distributing, Inc.
965 North Redwood Road
North Salt Lake, Utah 84054

Emergency Telephone Number **1-801-201-1135**

Company Phone Number Phone: 1-801-295-5022

Emergency Telephone (24 hr) **1-801-201-1135**

2. HAZARDS IDENTIFICATION

Appearance Red Clear

Physical State Liquid

Odor None

Classification

| | |
|---|---------------------------|
| Acute toxicity - Oral | Category 3 |
| Acute toxicity - Dermal | Category 2 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 2 |
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |
| Carcinogenicity | Category 1A |
| Corrosive to Metals | Category 1 |

Signal Word

Danger

Hazard Statements

Toxic if swallowed.
Fatal in contact with skin.
Fatal if inhaled.
Causes severe skin burns and eye damage.
May cause cancer.
May be corrosive to metals.



Trailer Wash Acid

Precautionary Statements - Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Use personal protective equipment as required.
Wash face, hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Do not get in eyes, on skin, or on clothing.
Do not breathe dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Wear respiratory protection.
Keep only in original container.

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Immediately call a POISON CENTER or doctor/physician.
Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Rinse mouth. Do not induce vomiting.
IN CASE OF SPILL: Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Harmful to aquatic life with long lasting effects.

Unknown Acute Toxicity

2% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-------------------------------|------------|----------|
| Water | 7732-18-5 | 60-100 |
| Sulfuric Acid | 7664-93-9 | 10-20 |
| Phosphoric Acid | 7664-38-2 | 1-5 |
| Hydrofluoric Acid | 7664-39-3 | 4-8 |
| Nonylphenoxypolyethoxyethanol | 68412-54-4 | 1-5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

First Aid Measures

General Advice

If exposed or concerned: Get medical advice/attention. When seeking medical attention, emphasize exposure to hydrofluoric acid.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove and discard contact lenses. Get immediate medical advice/attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. Get medical attention immediately.

Trailer Wash Acid

| | |
|---|---|
| Inhalation | Remove to fresh air. Get medical attention immediately. |
| Ingestion | Rinse mouth. Drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention immediately. |
| Most Important Symptoms and Effects | |
| Symptoms | Irritation and corrosive burns to mouth, throat, and stomach. Corrosive to eyes. Prolonged contact may even cause severe skin irritation or mild burn. May cause hypocalcemia. Can also cause bone and joint changes in humans (Fluorosis). |
| Indication of any Immediate Medical Attention and Special Treatment Needed | |
| Notes to Physician | This product contains hydrofluoric acid. |

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO₂). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Contents are corrosive and all personal contact must be avoided.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required.

Environmental Precautions

Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Collect spillage. Collect in a clean, dry waste container for disposal. Dilute with water and clean up.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Wash thoroughly after handling. Use personal protection recommended in Section 8. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated areas.

Conditions for Safe Storage, including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Keep only in original container. Keep from freezing.

Incompatible Materials

Acids. Bases. Oxidizing agents. Uncontrolled contact with water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV/OSHA PEL | NIOSH IDLH |
|--------------------------------|--|--|
| Sulfuric Acid 7664-93-9 | TWA: 0.2 mg/m ³ thoracic fraction (vacated) TWA: 1 mg/m ³ | IDLH: 15 mg/m ³ TWA: 1 mg/m ³ |
| Phosphoric Acid 7664-38-2 | TWA: 1 mg/m ³ STEL: 3 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³ IDLH: 30 ppm |
| Hydrofluoric Acid 7664-39-3 | TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³ TWA: 3 ppm F TWA: 2.5 mg/m ³ F TWA: 0.5 ppm F TWA: 2.5 mg/m ³ TWA: 2.5 mg/m ³ dust F (vacated) TWA: 3 ppm F S* (vacated) TWA: 2.5 mg/m ³ Ceiling: 2 ppm F (vacated) STEL: 6 ppm F | Ceiling: 6 ppm 15 min Ceiling: 5 mg/m ³ 15 min TWA: 3 ppm TWA: 2.5 mg/m ³ |

Appropriate Engineering Controls

Engineering Controls Ventilation systems. Eyewash stations. Showers.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Splash goggles or safety glasses or full face shield.

Skin and Body Protection Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | | | |
|-----------------------|--------|-----------------------|----------------|
| Physical State | Liquid | Odor | None |
| Appearance | Clear | Odor Threshold | Not determined |
| Color | Red | | |

| Property | Values | Remarks • Method |
|-------------------------------------|--------------------|------------------|
| pH | <1 | |
| Melting Point/Freezing Point | Not known | |
| Boiling Point/Boiling Range | 100.5 ° / 213 °CF | |
| Flash Point | Not applicable | |
| Evaporation Rate | Not determined | |
| Flammability (Solid, Gas) | n/a-liquid | |
| Upper Flammability Limits | Not determined | |
| Lower Flammability Limit | Not determined | |
| Vapor Pressure | Not determined | |
| Vapor Density | Not determined | |
| Specific Gravity | 1.18 | |
| Water Solubility | Completely soluble | |
| Solubility in other solvents | Not determined | @ 25 ° (77 °CF) |
| Partition Coefficient | Not determined | |
| Auto-ignition Temperature | Not determined | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | Not determined | |
| Explosive Properties | Not determined | |
| Oxidizing Properties | Not determined | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Bases. Oxidizing agents. Uncontrolled contact with water.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

| | |
|---------------------|---|
| Eye Contact | Causes severe eye damage. |
| Skin Contact | Causes severe skin burns. Fatal in contact with skin. |
| Inhalation | Fatal if inhaled. |
| Ingestion | Toxic if swallowed. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|----------------------|-------------------------|---|
| Sulfuric Acid 7664-93-9 | = 2140 mg/kg (Rat) | - | = 510 mg/m ³ (Rat) 2 h |
| Phosphoric Acid 7664-38-2 | = 1530 mg/kg (Rat) | = 2730 mg/kg (Rabbit) | > 850 mg/m ³ (Rat) 1 h |
| Hydrofluoric Acid 7664-39-3 | - | - | = 850 mg/m ³ (Rat) 1 h = 1276 ppm (Rat) 1 h |

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Note: The agencies below have listed Strong Inorganic Acid Mists, Containing Sulfuric Acid as a known carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|----------------------------|-------|---------|-------|------|
| Sulfuric Acid 7664-93-9 | A2 | Group 1 | Known | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen

Trailer Wash Acid

IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 3 IARC components are "not classifiable as human carcinogens"
NTP (National Toxicology Program)
Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

Numerical Measures of Toxicity

Not determined

Unknown Acute Toxicity

2% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--------------------------------|----------------------|---|----------------------------|--|
| Sulfuric Acid 7664-93-9 | - | 500: 96 h Brachydanio rerio mg/L LC50 static | - | 29: 24 h Daphnia magna mg/L EC50 |
| Phosphoric Acid 7664-38-2 | - | 3 - 3.5: 96 h Gambusia affinis mg/L LC50 | - | 4.6: 12 h Daphnia magna mg/L EC50 |
| Hydrofluoric Acid 7664-39-3 | - | 660: 48 h Leuciscus idus mg/L LC50 | - | 270: 48 h Daphnia species mg/L EC50 |

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

| Chemical Name | Partition Coefficient |
|--------------------------------|-----------------------|
| Hydrofluoric Acid 7664-39-3 | -1.4 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|--------------------------------|------|--------------------------|------------------------|------------------------|
| Hydrofluoric Acid 7664-39-3 | U134 | | | U134 |

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Sulfuric Acid 7664-93-9 | Toxic Corrosive |
| Phosphoric Acid 7664-38-2 | Corrosive |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT UN3264, Corrosive Liquid, Acidic, Inorganic, NOS (Containing Hydrofluoric Acid and Sulfuric Acid), 8, PG II

IATA

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories
Not determined

US Federal Regulations

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|--------------------------------|--------------------------|----------------|--|
| Sulfuric Acid 7664-93-9 | 1000 lb | 1000 lb | RQ 1000 lb final RQ RQ 454 kg final RQ |
| Phosphoric Acid 7664-38-2 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Hydrofluoric Acid 7664-39-3 | 100 lb | 100 lb | RQ 100 lb final RQ RQ 45.4 kg final RQ |

SARA 311/312 Hazard Categories

| | |
|------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | Yes |
| Reactive Hazard | Yes |

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-------------------|-----------|----------|-------------------------------|
| Sulfuric Acid | 7664-93-9 | 10-20 | 1.0 |
| Hydrofluoric Acid | 7664-39-3 | 4-8 | 1.0 |

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sulfuric Acid 7664-93-9 | 1000 lb | | | X |
| Phosphoric Acid 7664-38-2 | 5000 lb | | | X |
| Hydrofluoric Acid 7664-39-3 | 100 lb | | | X |

U.S. State Right-to-Know Regulations

| Chemical Name | State List |
|---|---|
| Sulfuric Acid 7664-93-9 | CAP65, MA, NJ, PA |
| Phosphoric Acid 7664-38-2 | MA, NJ, PA |
| Hydrofluoric Acid 7664-39-3 | MA, NJ, PA |
| AZ – Arizona Ambient Air Quality Guidelines | IL – Illinois Toxic Air Contaminant- Carcinogenic |
| CT – Connecticut Hazardous Air Pollutants | MA – Massachusetts Right to Know List |
| CA – California Director’s List of Hazardous Substances | MN – Minnesota Hazardous Substances List |
| CAP65 – California Prop 65 | NJ – New Jersey Right to Know List |
| FL – Florida Substances List | PA – Pennsylvania Right to Know List |
| ID – Idaho Non-Carcinogen Toxic Air Pollutants | RI – Rhode Island Hazardous Substances List |

16. OTHER INFORMATION

| NFPA | Health Hazards | Flammability | Instability | Special Hazards |
|------|----------------|--------------|------------------|---------------------|
| | 4 | 0 | 1 | Not determined |
| HMIS | Health Hazards | Flammability | Physical Hazards | Personal Protection |
| | 4 | 0 | 1 | Not determined |

Issue Date : June 2, 2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.