## MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFA NFPA Rating: Health-2; Flammability-2; Reactivity-0; Special	-			lity_2: Reac	tivity_0. Pore	onal Protection	
NEFA Rating. Heature, Hammabing-2, Reactivity-0, Special-	HMIS Rating: Health-2; Flammability-2; Reactivity-0; Personal Protection B						
Manufacturer's Name: Lyn Distributing		DOT Hazard Classification: Combustible Liquid,					
Address: 965 North Redwood Road	Ide	Identity (trade name as used on label):					
North Salt Lake, Utah 84054 Date Prepared: 01/07/03 Prepared By: Stan	U S SOLVENT MSDS Number: Revision - 2						
Information Calls: (801)295-5022	NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA						
EMERGENCY RESPONSE NUMBER: 1(800)366-5022						Bran	
SECTION 1 - MATERIAL IDENT	<b>FIFIC</b>						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **	
Petroleum Distillates		64742-47-8	No	5.0 mg/m3		d	
Monocylic terpene		5989-27-5	No				
SECTION 2 - PHYSICAL/CH							
Boiling Point: 370°F - 550°F Vapor Pressure.980 mmHg @ 77°F	Specific Gravity (H2O=1): 0.80 Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): 5@100°F						
Vapor Pressure.960 mmng @ 77- P Vapor Density (Air = 1): 5		Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): 5@100°F Evaporation Rate ( = 1): <.10					
Solubility in Water: Negligible		Water Reactive: No					
Appearance and Odor: clear liquid with light citrus odor .	V.O.C. 804 g / I						
SECTION 3 - FIRE AND E							
•	uto Ignition Temperature Flammability Limits in Air by % in Volume: N/D % LEL: 1 % UEL: 6						
(aerosols) N/A FLASH POINT AND METHOD USED (non-aerosols): 142°F TCC	SPECIAL FIRE FIGHTING PROCEDURES: Do not enter confined fire space						
without proper protective equipment including NIOSH approved self-con							
EXTINGUISHER MEDIA: Water spray or fog, foam, dry chemical or CO2. Do	o breathing apparatus. Cool fire exposed containers, surrounding equipment & structures with water.						
not use direct water stream. Unusual Fire & Explosion Hazards: None known.	Struc	lures with water.					
SECTION 4 - REACT	ידועו	Y HAZARD DATA					
STABILITY [X] STABLE [] UNSTABLE	_	ARDOUS POLYMERIZ			X ] WILL NO	T OCCUR	
Incompatibility (Mat. to avoid): Oxidizing materials. Hazardous Decomposition Products: Oxides of carbon & unidentified organ	Conditions to Avoid: Heat, sparks, open flame.						
SECTION 5 - HEAL			UNDUSTION	•			
PRIMARY ROUTES OF ENTRY: []INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS							
ACUTE EFFECTS: Toxicity: CNS depression producing headache, dizziness, na							
Inhalation: High concentrations or prolonged exposure to lower concentrations Eye Contact: Slight irritation from short term contact. Prolonged & repeated	Skin Contact: Prolonged & repeated liquid contact may result in irritation and						
contact more irritating.	dermatitis.						
Ingestion: May result in vomiting. Aspiration of vomitus into lungs must be avoided as lung contact can result in chemical pneumonitis and pulmonary edema.							
CHRONIC EFFECTS: None known. Medical Conditions Generally Aggravated by Exposure: Pre-existing irritati	on of	skin or mucous memb	ranes				
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water for 15 minutes. If irritation persists, get medical attention.							
Skin Contact: Wash with soap and water. If irritation persists, get medical attention.							
Inhalation: Remove to fresh air. Provide oxygen if breathing is difficult. Get medical attention. Ingestion: DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water. Get immediate medical attention.							
SECTION 6 - CONTROL AN							
Respiratory Protection (specify type): As required to prevent overexposure.				or for organic	vapors or atr	nosphere-	
supplying respirator.	-						
Protective Gloves: As required to minimize skin contact.		Protection: Safety gl	asses or g	joggles.			
Ventilation Requirements: Explosion proof ventilation as required to control vapor concentrations. Other Protective Clothing & Equipment: Clothing as required to minimize skin contact. Eyewash station and safety shower.							
Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash hands after handling.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Contain spill. Keep out of surface waters & any sewers or water courses entering or leading to surface waters. Soak up with inert absorbent & place in properly labeled leak-proof containers for disposal.							
Waste Disposal Methods: Dispose of in accordance with all local, state and fe		2	a a m 61	9. avidi-i	staniala K-	alaaadb. a.v.	
Precautions To Be Taken In Handling & Storage: Store in original shipping or not in use. Shelf life 1 year.				a oxiaizing ma	ateriais. Keep	ciosea when	
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Read & follow label directions.							

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. \*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only