# Lyn Distributing

"Helping You Find Systems To Save" \_ Date 1/08/2024\_

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Big Orange White Material name

Material number U1001

Manufacturer or supplier's details

Company Lyn Distributing Inc.

965 North Redwood Road Address

North Salt Lake, Utah 84054

Telephone 801-295-5022

Emergency	, telephone	numbers
LILIGI GELICI	, reieniioiie	HUHHDUS

For SDS Information Compliance Services 1-801-201-1135 For a Medical Emergency 801-201-1135- All Calls Recorded For a Transportation 801-201-1135 - All Calls Recorded.

**Emergency** 801-201-1135

#### **SECTION 2. HAZARDS IDENTIFICATION**

# **Emergency Overview**

Appearance	powder
Color	light yellow to white
Odor	mild butyl

# **GHS Classification**

Acute toxicity (Oral) Category 4 Skin corrosion Category 1A Category 1 Serious eye damage

Specific target organ toxicity -: Category 3 (Respiratory system)

single exposure

#### **GHS Label element**

Hazard pictograms





Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements : Prevention:

P260 Do not breath the dust or mist. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

# **Big Orange White**

Date 1/08/2024

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel sick. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

## Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## **Potential Health Effects**

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH Confirmed animal carcinogen with unknown relevance to

humans

2-butoxyethanol111-76-2

No component of this product present at levels greater than or

**OSHA** equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture

NTP

#### Hazardous components

Chemical Name CAS-No. Concentration [%] sodium metasilicate 6834-92-0 > 60 - < 90 sodium carbonate 497-19-8 > 20 - < 30

# **Big Orange White**

Date 1/08/2024

#### **SECTION 4. FIRST AID MEASURES**

General advice : Always wear protective clothing when using cleaning products.

Consult a physician if digested or a major irritation on skin or eyes.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Use in well-ventilated area. Mild to severe irritation of membranes of nose, mouth, throat.

throat. Seek medical attention if unconscious place in recovery position and advice.

If symptoms persist, call a physician.

In case of skin contact : In the case of contact with skin, rinse immediately with water if irritation

persists. Wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, dust off and rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness if not rinsed with clean water immediately.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice if irritation persists.

Remove contact lenses Protect unharmed eye

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run off from fire fighting to enter drains or water ways.

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Smoke

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if necessary

# **Big Orange White**

Date 1/08/2024

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Avoid large amounts of dust formation. Avoid breathing dust in a small inclosed area.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up or vacuum up spillage and collect in suitable

container for disposal. Neutralise with acid.

Keep in suitable, closed containers for disposal.

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid formation of fine dust particles.

Do not breathe vapors/dust in a small inclosed area. Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Keep away from oxidizing agents and strongly acid or alkaline

materials.

Storage temperature : 5 - 40 °C

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible	Basis
2-butoxyethanol	111-76-2	TWA TWA	concentration 20 ppm 5 ppm 24 mg/m3	ACGIH NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

# **Big Orange White**

Date 1/08/2024

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Dust safety masks are recommended when the dust

concentration is more than 10 mg/m3.

Hand protection : Skin should be washed after contact. For prolonged or

Remarks repeated contact use protective gloves. The suitability for a specific workplace should be discussed with the producers of

the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face shield and protective suit for abnormal processing problems.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of work day.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : White

Odor : mild butyl

Odor Threshold : no data available

pH : 12.2 - 12.6, 1% (as aqueous solution)

Melting point/freezing point : not applicable

Boiling point : not applicable

Flash point : not applicable

Evaporation rate

: not applicable

Upper explosion limit

Lower explosion limit : not applicable

Vapor pressure : not applicable

Relative vapor density : not applicable

Density : not applicable

Solubility Water solubility : soluble in cold water, soluble in hot water

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : not determined

Thermal decomposition : no data available

Viscosity : not applicable

# **Big Orange White**

Date 1/08/2024

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous : No decomposition if stored and applied as directed.

reactions Dust may form explosive mixture in air.

Conditions to avoid : no data available

Incompatible materials : Acids, Metals

Hazardous decomposition : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Nitrogen oxides (NOx)

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

**Product:** 

Acute oral toxicity : Acute toxicity estimate : 1,409 mg/kg

Method: Calculation method

Components:

sodium metasilicate:

Acute oral toxicity : LD50 rat: 1,153 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 Oral rat: 4,090 mg/kg

Acute inhalation toxicity : LC50 rat: 5,750 mg/l

Exposure time: 2 h

sodium dodecylbenzenesulfonate:

Acute oral toxicity : LD50 Oral rat: 438 mg/kg

**Product Big Orange** 

Skin corrosion/irritation Remarks: Extremely corrosive and destructive to tissue.

**Serious eye damage/eye irritation** Remarks: May cause irreversible eye damage.

Respiratory or skin sensitizationno data availableGerm cell mutagenicityno data availableCarcinogenicityno data availableReproductive toxicityno data available

Sodium metasilicate: Sodium carbonate:

STOT - single exposure no data available
STOT - repeated exposure no data available
Aspiration toxicity no data available

Further information

Product: Big Orange Remarks: no data available

**SECTION 12. ECOLOGICAL INFORMATION** 

Ecotoxicity no data available
Persistence and degradability no data available

Bioaccumulative potential

Product: Big Orange

Partition coefficient: n-octanol/water no data available

Mobility in soil no data available

Other adverse effects no data available

**Product: Big Orange** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances. Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). Additional ecological information no data available.

# **Big Orange White**

Date 1/08/2024

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

International regulation

UNRTDG IATA-DGR IMDG-Code

Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations 49 CFR Not regulated as a dangerous good

Special precautions for user not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

Components CAS-No. Component RQ Calculated product RQ (lbs) 1000\*

\*: Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances **Reportable Quantity**. This material does not contain any components with a section 304 EHS RQ. **SARA 311/312 Hazards**: Acute Health Hazard. **SARA 302**: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. **SARA 313**: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. **California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

**DSL** This product contains one or several components that are not on the

Canadian DSL nor NDSL.


AICS Not in compliance with the

AICS
Not in compliance with the inventory
NZIOC
PICCS
Not in compliance with the inventory
Not in compliance with the inventory
Not in compliance with the inventory

# Inventory Acronym and Validity Area Legend:

## SECTION 16. OTHER INFORMATION

### **Further information**



#### HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### OSHA GHS Label Information:

Hazard pictograms





Signal word

Hazard statements

Danger

Harmful if swallowed. Causes severe skin burns and eye damage. May cause

respiratory irritation.

Precautionary statements

Prevention: Do not breathe dust or mist. Wash skin thoroughly after handling. Do not eat, drink or smoke w hen using this product. Use only outdoors or in a w ell-ventilated area. Wear protective gloves/ protective dothing/ eye protection/face protection. Response: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel side. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/obysician. Wash contaminated clothing before reuse. Storage: Store in a w ell-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services supporting this manufacturer, supplier or distributor.