Version 1.0

Date 06/01/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	TD-3 55 GALLON
Material number	:	K1042
Manufacturer or supplier's d	leta	ails
Company	:	Lyn Distributing
Address	:	965 North Redwood Road North Salt Lake, Utah 84054
Telephone	:	801-295-5022

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-801-295-5022
For a Medical Emergency	:	801-201-1135 All Calls Recorded
For a Transportation Emergency	:	801-201-1135 - All Calls Recorded.

## SECTION 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Appearance	liquid
Color	Red, clear
Odor	mild

## **GHS Classification**

	: Category 1A : Category 1
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	<ul> <li>Prevention:</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>Response:</li> <li>P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.</li> </ul>

TD-3	55 GALLON
Version 1.0	Date 06/01/2015
	<ul> <li>P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> <li>Immediately call a POISON CENTER or doctor/ physician.</li> <li>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>Storage:</li> <li>P405 Store locked up.</li> <li>Disposal:</li> <li>P501 Dispose of contents/container in accordance with local regulation.</li> </ul>
Potential Health Effects Carcinogenicity:	
	No component of this product present at lough, greater then or
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans
OSHA	2-butoxyethanol 111-76-2 No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical Name	CAS-No.	Concentration [%]
2-butoxyethanol	111-76-2	>= 8 - < 20
sodium xylene sulphonate	1300-72-7	>= 1 - < 5
sodium metasilicate penetahydrate	6834-92-0	>= 1 - < 5
sodium dodecylbenzenesulfonate	25155-30-0	>= 4 - < 20

### **SECTION 4. FIRST AID MEASURES**

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance Do not leave the victim unattended.	e.
lf inhaled	If unconscious place in recovery position and seek m advice. If symptoms persist, call a physician.	edical
In case of skin contact	Immediate medical treatment is necessary as untreated	ed

TD-3	55 GALLON
Version 1.0	Date 06/01/2015
	wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.</li> </ul>

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	: Neutralise with acid. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>To avoid spills during handling keep bottle on a metal tray.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Keep away from oxidising agents and strongly acid or alkaline materials.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

### Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYE THANOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g	ACGIH BEI
Remarks: Creatinine	-					

### Personal protective equipment

# TD-3

# **55 GALLON**

Ve	ersion 1.0		Date 06/01/2015
	Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
	Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
	Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	red clear
Odor	:	mild
Odor Threshold	:	no data available
рН	:	12.5 - 13.52
Melting point/freezing point	:	no data available
Boiling point	:	104.44 °C
Flash point	:	
		does not flash
Evaporation rate	:	1
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	not determined
Relative vapour density	:	no data available
Density	:	1.021 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	5.7 mm2/s (20 °C)

## SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: no data available
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

## SECTION 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : 2,129 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : 4,869 mg/kg Method: Calculation method
<u>Components:</u>	
disodium metasilicate: Acute oral toxicity	: LD50 rat: 1,153 mg/kg

#### Skin corrosion/irritation

### Product:

Remarks: Extremely corrosive and destructive to tissue.

## Serious eye damage/eye irritation

## Product:

Remarks: May cause irreversible eye damage.

#### Respiratory or skin sensitisation

no data available

## TD-3

# 55 GALLON

Version 1.0

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### **Reproductive toxicity**

no data available

2-butoxyethanol: sodium xylenesulphonate: sodium metasilicate:

#### STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

### **Further information**

### Product:

Remarks: no data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

no data available	
Persistence and degradability	
no data available Bioaccumulative potential	
Product:	
Partition coefficient: n- : octanol/water	Remarks: no data available
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured

## TD-3

# **55 GALLON**

Version 1.0

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : no data available

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

## International regulation

## UNRTDG

Not regulated as a dangerous good

## IATA-DGR

Not regulated as a dangerous good

## IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**49 CFR** Not regulated as a dangerous good

## Special precautions for user

not applicable

### SECTION 15. REGULATORY INFORMATION EPCRA - Emergency Planning and Community Right-to-Know Act

<b>CERCLA Reportable Quantity</b>			
Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium dodecylbenzenesulfonate	25155-30-0	1000	= > 5 - <40
	0 / 10		

Version 1.0

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Acute Health Hazard
SARA 302	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 :	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of this prod	uct are reported in the following inventories:
TSCA On TS	CA Inventory


DSL	All components of this product are on the Canadian DSL.
AICS	On the inventory, or in compliance with the inventory
NZIOC	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**





OSHA GHS Label Information:

TD-3	55 GALLON
Version 1.0	Date 06/01/2015
Hazard pictograms	
Signal w ord Hazard statements Precautionary statements	<ul> <li>Danger: Causes severe skin burns and eye damage.</li> <li>Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with w ater/ show er. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.</li> <li>Storage: Store locked up.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance organization supporting this manufacturer, supplier or distributor.