MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION							
PA Rating: Health-2; Flammability-3; Reactivity-0; Special HMIS Rating: Health-2; Flammability-3; Reactivity-0; Personal Protection-B							
Manufacturer's Name: LYN DISTRIBUTING	DOT	DOT Hazard Classification: Flammable Liquid, 3					
Address: 965 NORTH REDWOOD ROAD	Ident	Identity (trade name as used on label):					
NORTH SALT LAKE, UTAH 84054	SUB-0 FREEZER CLEANER						
Date Prepared: 12/15/2011 Prepared By: SH	MS	MSDS Number: K1040A-4 Revision - 2					
Information Calls: (800)-366-5022 EMERGENCY RESPONSE NUMBER: 1(801)201-1135	NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA					ST DATA	
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION							
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES CAS Number SARA OSHA PEL ACGIH Carcinogen							
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)			III LIST	(ppm)	TLV (ppm)	Ref. Source **	
N-PROPYL ALCOHOL		71-23-8	No	300	300	d	
2-BUTOXYETHANOL		111-76-2	No	25	25	d	
POTASSIUM HYDROXIDE		1310-58-3	No			d	
AMPHOTERIC SURFACTANT		68298-20-4	No			d	
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS							
Soiling Point: 97°F Specific Gravity (H2O=1): 0.945							
Vapor Pressure: PSIG @ 70°F (Aerosols): N/A		r Pressure (Non-Aer		n Hg and Temp	perature): 68	°F 27 mm/Hg	
Vapor Density (Air = 1): N/D	Evap	Evaporation Rate (water = 1): >1					
Solubility in Water: Miscible	Water Reactive: No						
Appearance and Odor: Clear, red, non-viscous liquid with slight alcohol odor.							
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA							
FLAMMABILITY as per USA FLAME PROJECTION TEST Aut	LAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volume:						
(aerosols) N/A	385°C % LEL: 6.0 % UEL: 56.5						
FLASH POINT AND METHOD USED (non-aerosols): 81°F TCC	SPECIAL FIRE FIGHTING PROCEDURES: Full protective clothing & self-						
contained breathing apparatus should be worn when exposed to vapors or							
EXTINGUISHER MEDIA: Water spray, alcohol foam, CO2, dry chemical. products of combustion. Unusual Fire & Explosion Hazards: None known.							
SECTION 4 - REACTIVITY HAZARD DATA							
STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR							
Incompatibility (Mat. to avoid): Alkali & alkaline earth metals, anything reactive Conditions to Avoid: Heat, sparks, open flame.							
to water.							
Hazardous Decomposition Products: Oxides of carbon, propyl alcohol vapors.							
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS							
ACUTE EFFECTS: Prolonged or repeated exposures by any route may cause systemic poisoning including varying degrees of temporary or permanent visual							
damage.							
Inhalation: May irritate respiratory mucous membranes. May cause systemic toxicity.							
Eye Contact: May cause eye irritation. Sufficient absorption for systemic toxicity Skin Contact: May cause irritation & dryness. Absorption from prolonged							
unlikely. contact may cause systemic toxicity.							
Ingestion: Causes dizziness, headache, acidosis, visual disturbances & damage & possible unconsciousness.							
CHRONIC EFFECTS: Alcohol poisoning can cause death if ingested in large volume.							
Medical Conditions Generally Aggravated by Exposure: Not specifically known.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with large amounts of water for 15 minutes. If irritation persists, get medical attention.							
Skin Contact: Wash with large amounts of water. If irritation persists, get medical attention.							
Inhalation: Remove to fresh air. Give artificial respiration or oxygen as needed. If symptoms develop, get medical attention.							
Ingestion: Give 2 glasses of water and INDUCE VOMITING. Repeat until vomitus is clear. Get immediate medical attention. Never give anything by mouth to an unconscious person.							
SECTION 6 - CONTROL AND PROTECTIVE MEASURES							
Respiratory Protection (specify type): None needed under normal conditions of handling and usage.							
Protective Gloves: Impervious gloves. Eye Protection: Chemical goggles or full face shield.							
Ventilation Requirements: No special ventilation is needed under normal conditions of handling. If mechanical ventilation is required, use explosion-proof ventilation.							
Other Protective Clothing & Equipment: Impervious clothing as needed where splashing is a problem. Eyewash stations and safety showers.							
Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash hands after handling.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Contain spill. Soak up in inert absorbent material. Place in leak-proof containers. Seal & properly label containers.							
Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations.							
Precautions To Be Taken In Handling & Storage: Store in original shipping containers. Keep closed when not in use. Shelf life 1 year. Store in cool area							
away from heat, sparks or open flame.							
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Read & follow label directions.							

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

^{**} Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only