

# TABLE OF CONTENTS

<b>MAT PLACEMENT</b>	2
<b>ENTRANCE MAT AND TILE COLLECTION</b>	
WATERHOG™ GRAND PREMIER indoor/outdoor	6
WATERHOG™ PREMIER indoor/outdoor	7
WATERHOG™ PREMIER FASHION indoor/outdoor	8
WATERHOG™ GRAND CLASSIC indoor/outdoor	10
WATERHOG™ CLASSIC indoor/outdoor	11
WATERHOG™ CLASSIC DIAMOND indoor/outdoor	11
WATERHOG™ FASHION indoor/outdoor	12
WATERHOG™ FASHION DIAMOND indoor/outdoor	12
WATERHOG™ PREMIER ROLL GOODS indoor/outdoor	14
WATERHOG™ PREMIER TILE indoor/outdoor	16
WATERHOG™ TILE indoor/outdoor	18
BRUSH HOG indoor/outdoor	20
SUPERSCAPE™ indoor/outdoor	22
SAFETY SCRAPE™ indoor/outdoor	23
FLEX-TIP™ outdoor	23
WATERHOG™ DIAMONDCORD indoor	24
WATERHOG™ MASTERPIECE SELECT indoor	26
<b>INTERIOR MAT COLLECTION</b>	
TRI-GRIP™ indoor	30
COLORSTAR™ CRUNCH indoor	31
COLORSTAR™ SOLUTION DYED indoor	32
CLEAN STRIDE indoor	33
STYLIST indoor	34
IMPRESSIONIST™ indoor	34
COBBLESTONE™ indoor	35
VICTORY™ indoor	35
<b>LOGO MAT COLLECTION</b>	
WATERHOG™ IMPRESSIONS indoor/outdoor	38
WATERHOG™ LOGO INLAY indoor/outdoor	39
WATERHOG™ PREMIER ROLL GOODS LOGO INLAY indoor/outdoor	40
WATERHOG™ SCULPTURES indoor/outdoor	41
SUPERSCAPE™ LOGO indoor/outdoor	42
CLASSIC IMPRESSIONS™ indoor	43
COLORSTAR™ COMPUTUFT indoor	44
<b>BACKING OPTIONS</b>	45
<b>WORKFORCE ANTI-FATIGUE AND SLIP RESISTANT MAT COLLECTION</b>	
HOG HEAVEN anti-fatigue	48
HOG HEAVEN CONFETTI anti-fatigue	49
HOG HEAVEN PLUSH anti-fatigue	50
HOG HEAVEN FASHION anti-fatigue	51
HAPPY FEET™ anti-fatigue	52
AIRFLEX™ anti-fatigue	55
COMFORT SCRAPE™ anti-fatigue	56
COMFORT FLOW™ anti-fatigue	57
SURE CUSHION™ YELLOW BORDER anti-fatigue	58
SURE CUSHION™ RIBBED anti-fatigue	58
SURE CUSHION™ TEXTURE anti-fatigue	59
SURE CUSHION™ HEAVY DUTY anti-fatigue	59
TRACTION HOG slip resistant	60
TRACTION TREAD RUBBER RUNNERS slip resistant	61
TRACTION TREAD SOFT slip resistant/anti-fatigue	61
SURE TREAD V-GROOVE slip resistant	61
SUPERSCAPE™ slip resistant	62
SAFETY SCRAPE™ slip resistant	63
GLOW HOG slip resistant	64

# MINIMIZING MAINTENANCE

## Minimizing Maintenance with Mats

In hospitals, hotels, industrial and office suites, restaurants, theaters and educational facilities, mats should be a key element in any building maintenance program. Without them, buildings incur hundreds—even thousands—of dollars a year in excessive cleaning costs.

## Consider These Facts

- 70-80 % of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors and carpets.
- One square yard of carpet can accumulate one pound of dirt in a week—twice that in inclement weather.
- It is estimated that the cost to remove a single pound of dirt from a building will run in excess of \$600 in cleaning costs.

## An Effective Mat Program is the Answer

Walk-off mats are the most effective way of stopping dirt at the door and keeping building maintenance costs to a minimum. They are also effective internally in high traffic areas or at service wipe-off regions such as freight elevator lobbies, factory entrances, entrances from kitchens to restaurant dining areas, etc.

Entrance mats are the most commonly used mat products, but there are numerous other areas where mats are needed. Mats are used where safety is a must and anti-fatigue comfort is essential. Mats are also an excellent way to project a company image or message to employees or customers. In fact, the uses for—and placement of—mats are practically endless.


When planning a mat program, high traffic areas should be pinpointed and consideration given to environmental exposure. Strategic placement of mats is essential for maximum effectiveness.

Waterhog™ Grand Premier	B-C-D-E-J-M-N-P
Waterhog™ Grand Classic	
Waterhog™ Premier & Premier Fashion	B-C-D-E-F-G-H-I-J-L-M-N-P-Q
Waterhog™ Classic & Classic Diamond	
Waterhog™ Fashion & Fashion Diamond	
Waterhog™ Premier Roll Goods	B-Q
Waterhog™ Premier Tile & Classic Tile	B-C-D-E-F-G-H-I-M-N-P-Q
Brush Hog	A-R-I-H
SuperScrape™	A-K-H-I-L-M-N-O-P-Q-R
Safety Scrape™	A-H-I-N-O-P-Q-R
Hex-Tip™	A-R
Waterhog™ Diamond Cord	B-C-D-E-F-G-H-I-M-N-P-Q
Waterhog™ Masterpiece Select	
Ti-Grip™	C-D-E-F-G-H-I-J-L-M-N-P
ColorStar Crunch™ & ColorStar™	
Waterhog™ Impressions	B-C-D-E-F-J-Q
Waterhog™ Logo Inlay	B-C-D-E-F-J-Q
Waterhog™ Premier Roll Goods Logo Inlay	B-Q
Waterhog™ Sculptures	B-C-D-E-F-J-Q
Clean Stride	F-N
Stylt	
Impressionist™	C-D-E-F-G-H-I-L-M-N-P
Victory™	
Cobblestone™	
SuperScrape™ Logo	A-H-N-R
Classic Impressions™	B-C-D-E-F-I-J-L-M-Q
ColorStar™ Computuit	
Hog Heaven™ & Hog Heaven™ Confetti	C-G-J-O-P
Hog Heaven™ Plush	C-G-J
Hog Heaven™ Fashion	
Happy Feet™	C-G-J-K-O-P
AirFlex™	J-K-O-P
Comfort Scrape™	H-I-K-L-M-O-P
Comfort Flow™	C-I-K-O-P
Sure Cushion™ Anti-Fatigue	B-J-K-O-P
Traction Hog	B-K
Traction Tread, Traction Tread Soft	O-P
Sure Tread	M-O-P
Glow Hog	B-Q

# MAT PLACEMENT GUIDE

## Mat Placement

The diagram below and the chart to the left can help determine mat placement throughout various locations. From entrance and interior to non-slip and anti-fatigue, Andersen has a mat to fit every application.



# WATERHOG™ GRAND PREMIER

Sometimes the need for a tough mat extends beyond exceptional performance to include exceptional beauty. Waterhog™ Grand Premier is an amazing mat series with the performance features of our Waterhog Premier, the durable attractive fabric border of our Waterhog Premier Fashion combined with the choice of three different configurations of the face design.



Half Oval  
Product Number 246



One End  
Product Number 248



Two End  
Product Number 249

see page 9 for additional product information

36 oz • fabric border • 31 standard sizes • custom sizes up to 64' long • diamond pattern

**HALF OVAL  
PRODUCT NUMBER 246**

A small inset image showing a green half-oval mat with a sunburst pattern, similar to the main image but in a different color.

**TWO END  
PRODUCT NUMBER 249**

A small inset image showing a green rectangular mat with sunburst patterns on both ends, similar to the main image but in a different color.

**ONE END  
PRODUCT NUMBER 248**

A small inset image showing a green rectangular mat with a sunburst pattern on one end, similar to the main image but in a different color.

6

# WATERHOG™ PREMIER

When the application calls for outstanding performance and beauty, Waterhog™ Premier is the answer. Waterhog Premier mats combine all of the performance of the original Waterhog™ with an unique diamond-shaped face pattern creating the ultimate visual appearance. Waterhog Premier mats feature a 36 ounce heavy duty multi-denier face yarn that is 50% heavier than the Waterhog Classic. The multi-fiber construction combines thick fibers for scraping with fine fibers for wiping, providing better performance and longer life.

see page 9 for additional product information

36 oz • rubber border • 18 standard sizes • custom sizes to 61' long • diamond pattern




PRODUCT NUMBER 295

# WATERHOG™ PREMIER FASHION

Taking beauty to the next level, Waterhog™ Premier Fashion combines the performance features and unique diamond-shaped face pattern of the Waterhog Premier and adds a fabric border made of the same 100% premium polypropylene fiber system as the mat surface. The result is a striking look that's easy to maintain—perfect for more decorative areas like offices, restaurants, retail stores or anywhere that demands practicality and beauty.

36 oz • fabric border • 18 standard sizes • custom sizes up to 61' • diamond pattern




## FEATURES AND BENEFITS

- Unique ridged construction effectively stores dirt and moisture beneath shoe level. **(A)**
- Exclusive rubber-reinforced face nubs prevent pile from crushing in high traffic areas, thereby maintaining high performance and extending product life. **(B)**
- Premium 36-ounce anti-static 100% polypropylene fiber system dries quickly and won't fade or rot. When wet, the rubber-reinforced surface allows water to be wicked to the bottom of the mat away from foot traffic while providing a slip-resistant surface. **(C)**
- Green friendly rubber backing has 10%–15% recycled rubber content and is available in smooth or cleated backing types. See page 45 for backing chart. **(D)**
- Exclusive "water dam" border keeps dirt and water in the mat and off the floor, minimizing slip hazards and floor damage. **(E)**
- Highly durable attractive fashion border makes it the perfect choice for indoor or outdoor applications. **(F)**
- Anti-static fiber system has a maximum average voltage of 1.6KV as measured by the AATCC. Mats are safe for use in computer rooms and around electronic equipment.
- All Waterhog™ Premier mats are certified slip resistant by the National Floor Safety Institute.




## CONSTRUCTION

FACE – Molded reinforced textile  
YARN – Solution-dyed polypropylene  
PILE HEIGHT – 3/8"  
FACE WEIGHT – 36 ozs/sy  
BACKING – SBR Rubber (10%–15% recycled content)



WaterHog™ Premier



WaterHog™ Grand Premier  
WaterHog™ Premier Fashion

Not recommended for use in areas exposed to grease or petroleum products.  
Passes flammability standards DOCFI-70.

## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

### GRAND PREMIER

#### HALF OVAL

3' x 1.8'  
4' x 2.3'  
6' x 3.3'

#### HALF OVAL—ONE END

3' x 5.5' 4' x 5.9' 6' x 7'  
3' x 10' 4' x 10.5' 6' x 11.6'  
3' x 13.9' 4' x 14.4' 6' x 15.4'  
3' x 17.7' 4' x 18.2' 6' x 19.3'  
3' x 21.6' 4' x 22' 6' x 23.1'

#### HALF OVAL—TWO ENDS

3' x 7.1' 4' x 8' 6' x 10.1'  
3' x 11.7' 4' x 12.6' 6' x 14.8'  
3' x 15.5' 4' x 16.5' 6' x 18.6'  
3' x 19.4' 4' x 20.3' 6' x 22.4'  
3' x 23.2'

Custom lengths up to 64' are available.

### PREMIER, PREMIER FASHION

2' x 3'	4' x 6'	6' x 6'
3' x 4'	4' x 8.4'	6' x 8.4'
3' x 5'	4' x 10'	6' x 12.2'
3' x 8.4'	4' x 12.2'	6' x 16'
3' x 10'	4' x 16'	6' x 20'
3' x 12.2'	4' x 20'	
3' x 16'		
3' x 20'		

Custom lengths up to 61' are available.

# WATERHOG™ GRAND CLASSIC

If you are looking for all of the performance features and exceptional beauty of the Waterhog™ Grand Premier—but would prefer them in a 24 ounce option, WaterHog Grand Classic is the perfect choice. It offers the same durable fabric border as well as 3 configurations to give you the ultimate in beauty and performance.



Half Oval  
Product Number 272



One End  
Product Number 273



Two End  
Product Number 274

see page 13 for additional product information

24 oz • fabric border • 31 standard sizes • custom sizes up to 64' long • diamond pattern



HALF OVAL  
PRODUCT NUMBER 272

TWO END  
PRODUCT NUMBER 274


ONE END  
PRODUCT NUMBER 273

# **WATERHOG™** CLASSIC & CLASSIC DIAMOND

Perfect for most applications inside or out, Waterhog™ Classic's unique design makes it revolutionary. The rubber reinforced face nubs and waffle design provide crush proof scraping action. The raised rubber "water dam" border traps dirt and water – keeping them off carpet and floors. If you are looking for added beauty, you may consider the Waterhog Classic Diamond – offering all the performance of the Classic but replacing the waffle pattern with a beautiful diamond face pattern.

[see page 13 for additional product information](#)

24 oz • rubber border • 18 standard sizes • custom sizes to 61' long • diamond or waffle pattern



# WATERHOG™ FASHION & FASHION DIAMOND

Like Waterhog™ Classic and Classic Diamond, Waterhog™ Fashion and Fashion Diamond mats offer the same performance features but with the added beauty of a fabric border for an attractive look that is easy to maintain. This tough as nails mat is the perfect choice for more decorative indoor areas where you want to put your best foot forward.

Waterhog™ Drainable mats (Product Number 250) have all of the features of the famous Waterhog mats without the rubber "water dam" border, so water drains off easily. See price list for sizes.

24 oz • fabric or drainable border • 18 standard sizes • custom sizes to 61' long • waffle or diamond pattern



WATERHOG™ FASHION  
PRODUCT NUMBER 280

WATERHOG™ FASHION DIAMOND  
PRODUCT NUMBER 221


## FEATURES AND BENEFITS

- Unique ridged construction effectively traps dirt and moisture beneath shoe level. **(A)**
- Exclusive rubber-reinforced face nubs prevent pile from crushing in high traffic areas, maintaining high performance and extending product life. **(B)**
- Premium 24-ounce anti-static, 100% polypropylene fiber system dries quickly and won't fade or rot. When wet, the rubber-reinforced surface allows water to be wicked to the bottom of the mat, away from foot traffic and providing a slip-resistant surface. **(C)**
- Green friendly rubber backing has 10%–15% recycled rubber content and is available in smooth or cleated backing types. See page 45 for backing chart. **(D)**
- Exclusive "water dam" border keeps dirt and water in the mat and off the floor, minimizing slip hazards and floor damage. **(E)**
- Highly durable attractive fashion border makes it the perfect choice for indoor or outdoor applications. **(F)**
- Anti-static fiber system has a maximum average voltage of 1.6KV as measured by the AATCC. Mats are safe for use in computer rooms and around electronic equipment.
- All Waterhog™ mats are certified slip resistant by the National Floor Safety Institute.




## CONSTRUCTION

FACE – Molded reinforced textile  
YARN – Solution-dyed polypropylene  
PILE HEIGHT – 1/4"  
FACE WEIGHT – 24 ozs/sy  
BACKING – SBR Rubber (10%–15% recycled content)



WaterHog™ Classic  
WaterHog™ Classic Diamond



WaterHog™ Grand Classic  
WaterHog™ Fashion  
WaterHog™ Fashion Diamond

Not recommended for use in areas exposed to grease or petroleum products. Passes flammability standards DOCFFI-70.

## COLORS

Note: Colors subject to change from dye lot to dye lot.  
All colors are available in diamond and waffle patterns.



\*These colors are available in 3' and 4' widths only. See suggested retail price list for exact color availability.

## STANDARD SIZES

### GRAND CLASSIC

HALF OVAL  
3' x 1.8' 4' x 2.3' 6' x 3.3'

### HALF OVAL—ONE END

3' x 5.5' 4' x 5.9' 6' x 7'  
3' x 10' 4' x 10.5' 6' x 11.6'  
3' x 13.9' 4' x 14.4' 6' x 15.4'  
3' x 17.7' 4' x 18.2' 6' x 19.3'  
3' x 21.6' 4' x 22' 6' x 23.1'

### HALF OVAL—TWO ENDS

3' x 7.1' 6' x 10.1'  
3' x 11.7' 6' x 14.8'  
3' x 15.5' 6' x 18.6'  
3' x 19.4' 6' x 22.4'  
3' x 23.2' 4' x 8'  
4' x 12.6'  
4' x 16.5'  
4' x 20.3'

### CLASSIC & FASHION

18" x 27" 4' x 6' 6' x 8'  
2' x 3' 4' x 8' 6' x 12'  
3' x 4' 4' x 10' 6' x 16'  
3' x 5' 4' x 12' 6' x 20'  
3' x 8' 4' x 16'  
3' x 10' 4' x 20'  
3' x 12'  
3' x 16'  
3' x 20'

### CLASSIC DIAMOND FASHION DIAMOND

2' x 3' 4' x 6' 6' x 6'  
3' x 4' 4' x 8.4' 6' x 8.4'  
3' x 5' 4' x 10' 6' x 12.2'  
3' x 8.4' 4' x 12.2' 6' x 16'  
3' x 10' 4' x 16' 6' x 20'  
3' x 12.2' 4' x 20'  
3' x 16'  
3' x 20'

Custom lengths up to 61' are available. \*6' x 6' available in Classic Diamond and Fashion Diamond only.

See suggested retail price list for more information.

# WATERHOG™ PREMIER ROLL GOODS

This versatile roll good design is flexible to use. Great for large entrances and custom cut applications up to 12' x 50'. The bi-level face pattern effectively allows dirt and moisture to be wicked to the bottom of the mat, away from foot traffic. Waterhog™ Premier Roll Goods are available with or without logos and can be free laid or glued down with solvent-free adhesive.

Waterhog™ Premier Roll Goods may be purchased pre-seamed and bordered as needed or the matting product and nosing may be purchased separately and installed on site.

---

36 oz • 6' x 67' standard roll size • custom sizes up to 12' x 50' • herringbone pattern



## FEATURES AND BENEFITS

- Rubber-reinforced bi-level face pattern effectively stores dirt and moisture beneath shoe level. **(A)**
- Green friendly rubber backing has 10%–15% recycled rubber content and has a smooth backing. See page 45 for backing chart. **(B)**
- Can be free laid or glued down with solvent-free adhesive.
- Installable 6' wide roll goods.
- Available in standard 6' x 67' rolls or in cut lengths as required. Custom sizes up to 12' x 50'.
- Logos available.
- Premium anti-static 100% polypropylene fiber system will not fade or rot.
- All Waterhog™ Premier Roll Goods are certified slip resistant by the National Floor Safety Institute.



## CONSTRUCTION

FACE – Molded reinforced textile  
YARN – Solution-dyed polypropylene  
PILE HEIGHT – 3/8"  
FACE WEIGHT – 36 ozs/sy  
BACKING – 100% SBR Rubber (10%-15% recycled content)



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

6' x 67' Rolls

Available in lengths up to 67' (whole foot increments only).  
See suggested retail price list for additional standard sizes.

## CUSTOM SIZES

Available in sizes up to 12' x 50'.

All custom sizes are manufactured by seaming two 6' wide lengths together.  
Widths of less than 12' will be seamed and then cut to the appropriate width.  
Custom sizes and cuts are available on request.

# WATERHOG™ PREMIER TILE

Waterhog™ Premier Tile has a 50% heavier face yarn than Waterhog™ Classic Tile, which makes it ideal for use in the most demanding applications. It is available in three patterns: Waterhog Premier Diagonal, Diamond and Geometric Tile. These tiles are suitable for high-traffic areas such as hospitals, grocery stores, airports, retail stores, schools, hotels and any other commercial buildings.

36 oz • 1/4" or 7/16" pile height • diamond, diagonal or geometric pattern




## FEATURES AND BENEFITS

- Unique ridged construction effectively traps dirt and moisture beneath shoe level. **(A)**
- Exclusive rubber-reinforced face nubs prevent pile from crushing in high traffic areas, maintaining high performance and extending product life. **(B)**
- Anti-static 100% premium polypropylene fiber system dries quickly and won't fade or rot. When wet, the rubber-reinforced surface allows water to be wicked to the bottom of the mat, below foot traffic and providing a slip-resistant surface. **(C)**
- Available in cleated backing. **(D)**
- Anti-static fiber system has a maximum average voltage of 1.6KV as measured by the AATCC. Mats are safe for use in computer rooms and around electronic equipment.
- Damaged or worn tiles can be replaced easily.
- Install with solvent-free permanent adhesive.
- All Waterhog™ tiles are certified slip resistant by the National Floor Safety Institute.



## CONSTRUCTION

FACE – Molded reinforced needle punch  
 YARN – Heavy-duty multi denier 100% polypropylene  
 PATTERNS AVAILABLE – Diagonal, Diamond and Geometric



PILE HEIGHT:	1/4"
FACE WEIGHT .....	36 ozs./sy
TOTAL WEIGHT .....	147 ozs./sy
SF/CASE .....	27.00
TILE DIMENSIONS .....	18" x 18"
TILES PER CASE .....	12

PILE HEIGHT:	7/16"
FACE WEIGHT .....	36 ozs./sy
TOTAL WEIGHT .....	252 ozs./sy
SF/CASE .....	22.5
TILE DIMENSIONS .....	18" x 18"
TILES PER CASE .....	10

Not recommended for use in areas exposed to grease or petroleum products.  
 Passes flammability standards DOCFFI-70.

## COLORS

Note: Colors subject to change from dye lot to dye lot.  
 All colors are available in diagonal, diamond and geometric patterns.



# WATERHOG™ CLASSIC TILE

Waterhog™ Classic Tile offers the same outstanding cleaning performance and benefits as the Waterhog™ Classic mat. It is available in three patterns: Diagonal, Diamond and Geometric. These tiles are designed to be installed in high-traffic areas such as entrances, recessed mat wells, lobbies, vestibules and elevators.

24 oz • 1/4" or 7/16" pile height • diagonal, diamond or geometric pattern



**DIAGONAL PATTERN**  
PRODUCT NUMBER 219

**DIAMOND PATTERN**  
PRODUCT NUMBER 216

**GEOMETRIC PATTERN**  
PRODUCT NUMBER 220


## FEATURES AND BENEFITS

- Unique ridged construction effectively traps dirt and moisture beneath shoe level. **(A)**
- Exclusive rubber-reinforced face nubs prevent pile from crushing in high traffic areas, maintaining high performance and extending product life. **(B)**
- Anti-static 100% premium polypropylene fiber system dries quickly and won't fade or rot. When wet, the rubber-reinforced surface allows water to be wicked to the bottom of the mat, reducing moisture and providing a slip-resistant surface. **(C)**
- Available with cleated backing type. **(D)**
- Damaged or worn tiles can be replaced easily.
- Install with solvent-free permanent adhesive.
- Anti-static fiber system has a maximum average voltage of 1.6KV as measured by the AATCC. Mats are safe for use in computer rooms and around electronic equipment.
- All Waterhog™ tiles are certified slip resistant by the National Floor Safety Institute.



## CONSTRUCTION

FACE – Molded reinforced textile  
 YARN – 100% Solution-dyed low-static polypropylene  
 PATTERNS AVAILABLE – Diagonal, Diamond and Geometric



<b>PILE HEIGHT:</b>	<b>1/4"</b>
FACE WEIGHT .....	24 ozs./sy
TOTAL WEIGHT .....	135 ozs./sy
SF/CASE .....	27.00
TILE DIMENSIONS .....	18" X 18"
TILES PER CASE .....	12

<b>PILE HEIGHT:</b>	<b>7/16"</b>
FACE WEIGHT .....	24 ozs./sy
TOTAL WEIGHT .....	240 ozs./sy
SF/CASE .....	22.5
TILE DIMENSIONS .....	18" X 18"
TILES PER CASE .....	10

Not recommended for use in areas exposed to grease or petroleum products.  
 Passes flammability standards DOCFI-70.

## COLORS

Note: Colors subject to change from dye lot to dye lot.  
 All colors are available in diagonal, diamond and geometric patterns.



# BRUSH HOG

Brush Hog is the perfect mat choice for outside. The 100% solution-dyed coarse nylon fiber surface is designed to aggressively scrape damaging dirt and moisture from the soles of shoes. Water drains freely from the surface of Brush Hog mats. They are also resistant to the damaging effects of ultra-violet light. Brush Hog mats are ideal for schools, hotels, hospitals, offices, churches, shopping malls, restaurants and museums.

---

rubber border • 19 standard sizes • solution dyed • custom sizes to 60' long




## FEATURES AND BENEFITS

- High-performance, 100% solution-dyed nylon face won't fade in sunlight. **(A)**
- Turf-pile fabric construction filters dirt and moisture away from the mat surface. **(B)**
- 100% premium rubber backing will not crack or curl. **(C)**
- Green friendly rubber backing has 10%–15% recycled rubber content and is available in smooth or cleated backing types. See page 45 for backing chart. **(D)**
- Flat rubber border allows moisture to run off all sides. **(D)**
- All Brush Hog mats are certified slip resistant by the National Floor Safety Institute.



## CONSTRUCTION

FACE – Tufted Textile  
YARN – Coarse 100% Solution-dyed nylon filament  
PILE HEIGHT – 1/2"  
BACKING – SBR Rubber (10%-15% recycled content)



Not recommended for use in areas exposed to grease or petroleum products.  
Passes flammability standards DOCFI-70.

## COLORS

Note: Colors subject to change from dye lot to dye lot.



**301**

charcoal brush

**302**

navy brush

**303**

brown brush

**304**

burgundy brush

## STANDARD SIZES

3' x 5'

3' x 6'

3' x 8'

3' x 10'

4' x 6'

4' x 8'

4' x 10'

6' x 8'

6' x 12'

## RUNNER SIZES

Custom lengths up to 60' are available in 3', 4' and 6' widths.

# SUPERSCAPE™

## FEATURES AND BENEFITS

- Durable 100% Nitrile Rubber mat provides a slip-resistant surface.
- Ideal for use outside of entrances, in production areas, in kitchens and locker rooms.
- Molded tread-surface face cleats effectively scrape tough dirt and grime off shoes.
- All SuperScape™ mats are certified slip resistant by the National Floor Safety Institute.
- SuperScape™ mats are also available with safety message, welcome message, or custom logo.  
*(see page 42 for information on SuperScape™ Logo mats)*



## STANDARD SIZES

2½' x 3'

3' x 5'  
3' x 10'

4' x 6'  
4' x 8'

6' x 8'



# SAFETY SCRAPE™

## PRODUCT NUMBER 400



## FEATURES AND BENEFITS

- Durable 100% Nitrile Rubber construction for oil and chemical resistance. Available with cleated backing.
- Molded grip-surface face cleats effectively scrape tough dirt and grime off shoes and provide an excellent anti-slip surface.
- Available in four OSHA-approved color-stripe safety borders (danger red, caution yellow, warning orange, safety green).
- Perfect for use outside of entrances as a scraper mat or as a slip-resistant mat in wet areas.
- All Safety Scrape™ mats are certified slip resistant by the National Floor Safety Institute.



## STANDARD SIZES

2' x 3'	3' x 5'	4' x 6'
	3' x 10'	4' x 10'

## OUTDOOR

# FLEX-TIP™

## PRODUCT NUMBER 874



## FEATURES AND BENEFITS

- Two thousand finger-like tips/sq. ft (21,000/m<sup>2</sup>) aggressively scrape soil from shoes.
- Excellent for outdoor use.
- OSHA-compliant beveled edges and deep wells hold heavy soil and debris.
- Solid, 5/8" (16mm) thick construction.
- Has excellent anti-fatigue capabilities.
- Easily cleaned by hosing off or shaking.

## STANDARD SIZES


24" x 32"	32" x 39"	36" x 72"
-----------	-----------	-----------

INDOOR

# WATERHOG™ DIAMONDCORD

Proving a mat can be tough and still be beautiful, Waterhog™ DiamondCord mats are setting a new standard in mat performance. This mat utilizes a “fiber bundle” made up of monofilament polypropylene and 2750 denier BCF Olefin yarn that is air entangled together. The resulting fiber bundle gives DiamondCord exceptional wiping and scraping performance and its corduroy appearance is the ultimate in aesthetic appeal.

26 oz • rubber border • 20 standard sizes • diamond pattern • custom sizes to 61' long



## FEATURES AND BENEFITS


- Premium polypropylene fiber system won't fade or rot. **(A)**
- Exclusive "water dam" border keeps dirt and water in the mat and off the floor, minimizing hazards and floor damage. **(B)**
- Green friendly rubber backing has 10%–15% recycled rubber content and is available in smooth or cleated backing types. See page 45 for backing chart. **(C)**
- Rubber-reinforced face nubs extend the performance life by maintaining the bi-level construction in the pattern. **(D)**
- Unique ridged construction effectively traps dirt and moisture.
- Dries quickly and provides a slip-resistant surface even when wet.
- Anti-static fiber system has a maximum average voltage of 1.6KV as measured by the AATCC. Mats are safe for use in computer rooms and around electronic equipment.
- All WaterHog™ DiamondCord mats are certified slip resistant by the National Floor Safety Institute.



## CONSTRUCTION

FACE – Molded reinforced textile  
 YARN – Solution-dyed air entangled monofilament polypropylene  
 PILE HEIGHT – 3/8"  
 FACE WEIGHT – Heavy 26 ozs/sy  
 BACKING – 100% SBR Rubber (10%–15% recycled content)

Not recommended for use in areas exposed to grease or petroleum products.  
 Passes flammability standards DOCFFI-70.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



**180**

charcoal cord

**181**

green cord

**182**

grey cord

**183**

brown cord

## STANDARD SIZES

2' x 3'	3' x 4'	3' x 12.2'	4' x 6'	4' x 16'	6' x 6'	6' x 16'
	3' x 5'	3' x 16'	4' x 8.4'	4' x 20'	6' x 8.4'	6' x 20'
	3' x 8.4'	3' x 20'	4' x 10'		6' x 10'	
	3' x 10'		4' x 12.2'		6' x 12.2'	

Custom lengths up to 61' are available.

See suggested retail price list for more information.

INDOOR

# WATERHOG™ MASTERPIECE™ SELECT

WaterHog™ Masterpiece™ Select mats combine beauty and durability. Their innovative woven design is engineered so it scrapes dirt and water off feet from all traffic angles and looks great as well. Our original design holds dirt and water beneath shoe level, preventing dirt and moisture from tracking onto floors. Like all other Waterhog family products, Masterpiece Select is easy to maintain and clean.

28 oz • rubber border • 18 standard sizes • woven pattern • custom sizes to 60' long



## FEATURES AND BENEFITS


- Unique ridged construction effectively traps dirt and moisture beneath shoe level. **(A)**
- Exclusive rubber-reinforced face nubs prevent pile from crushing in high traffic areas, maintaining high performance and extending product life. **(B)**
- Premium 28-ounce anti-static 100% polypropylene fiber system dries quickly and won't fade or rot. When wet, the rubber-reinforced surface allows water to be wicked to the bottom of the mat, below foot traffic and providing a slip-resistant surface. **(C)**
- Green friendly rubber backing has 10%–15% recycled rubber content and is available in smooth or cleated backing types. See page 45 for backing chart. **(D)**
- Exclusive "water dam" border keeps dirt and water in the mat and off the floor, minimizing slip hazards and floor damage. **(E)**
- Cleaning is easy! Simply use vacuum and extraction cleaning methods or hose off with water and hang to dry.
- Anti-static fiber system has a maximum average voltage of 1.6KV as measured by the AATCC. Mats are safe for use in computer rooms and around electronic equipment.
- All WaterHog™ Masterpiece™ Select mats are certified slip resistant by the National Floor Safety Institute.



## CONSTRUCTION

FACE – Molded reinforced tufted textile  
 YARN – 100% guardian 10 BCF polypropylene  
 PILE HEIGHT – 1/4"  
 FACE WEIGHT – 28 oz/sy  
 BACKING – SBR Rubber (10-15% recycled content)

Not recommended for use in areas exposed to grease or petroleum products.  
 Passes flammability standards DOCFFI-70.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



**230**  
ocean wave

**231**  
nutmeg

**232**  
mauve

**233**  
pewter

**234**  
smoky teal

**235**  
thunderstorm

## STANDARD SIZES

2' x 3'	3' x 4'	3' x 12'	4' x 6'	4' x 16'	6' x 8'
	3' x 5'	3' x 16'	4' x 8'	4' x 20'	6' x 12'
	3' x 8'	3' x 20'	4' x 10'		6' x 16'
	3' x 10'		4' x 12'		6' x 20'

Custom lengths up to 60' are available.

See suggested retail price list for more information.

# TRI-GRIP™

## FEATURES AND BENEFITS

- Heavy, 100% static dissipative nylon face offers outstanding absorption and durability.
- Tight, heat-set, Ultra-Twist™ yarn construction resists packing and crushing. Dirt filters into the mat rather than remaining on top.
- Green friendly rubber backing has 10% -15% recycled content. Resists curling and cracking.
- Available in smooth or cleated backing types. See page 45 for backing chart.
- Available with oil and grease resistant 100% Nitrile Rubber backing when applications call for additional protection.
- LUTRADUR™ primary substrate creates a strong bond between the rubber and carpet.
- Also available with vinyl backing. See Styler mats on page 34.
- All Tri-Grip™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'      3' x 4'   3' x 5'   3' x 6'   3' x 8'   3' x 10'      4' x 6'   4' x 8'   4' x 10'

Custom lengths up to 40' are available in 3', 4', 5' and 6' widths.

See suggested retail price list for additional information, including availability of 5' and 6' widths.



INDOOR

# COLORSTAR™ CRUNCH

## FEATURES AND BENEFITS

- Extra coarse solution-dyed nylon fibers in combination with traditional solution-dyed fibers create excellent scraping and wiping action for maximum soil stopping power.
- Solution-dyed yarn is easy to clean. Just rinse with soap and water. You may even use bleach on heavy soil areas to help remove stains.
- High twist and heat-set static-dissipative nylon yarn makes ColorStar Crunch™ safe to use around sensitive electronic equipment.
- Also available with oil and grease resistant 100% Nitrile Rubber backing when applications call for additional protection.
- Green friendly rubber backing has 10%–15% recycled rubber content and is available in smooth or cleated backing types.  
*See page 45 for backing chart.*
- Intricate tweed-color patterns help hide soil.
- LUTRADUR™ primary substrate creates a strong bond between the rubber carpet.
- All ColorStar™ Crunch mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

*Note: Colors subject to change from dye lot to dye lot.*



**280**

topaz crunch

**281**

quartz crunch

**282**

onyx crunch

**283**

garnet crunch

**284**

sapphire crunch

## STANDARD SIZES

2' x 3'      3' x 4'   3' x 5'   3' x 10'      4' x 6'   4' x 8'   4' x 10'

Custom lengths up to 40' are available in 3', 4' and 6' widths.

*See suggested retail price list for additional information.*

**PRODUCT NUMBER 109**



INDOOR

# COLORSTAR™ SOLUTION-DYED MATS

## FEATURES AND BENEFITS

- 10-year, color-loss guarantee with indoor use. Mats won't fade due to cleaning.
- Twisted heat-set, 100% static-dissipative nylon resists crushing, traps dirt better and extends performance life.
- Green friendly rubber backing has 10%-15% recycled rubber content and is available in smooth or cleated backing types.  
*See page 45 for backing chart.*
- Also available with oil and grease resistant 100% Nitrile Rubber backing when applications call for additional protection.
- LUTRADUR™ primary substrate creates a strong bond between the rubber carpet.
- All ColorStar™ solution-dyed mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'      3' x 4'   3' x 5'   3' x 10'      4' x 6'   4' x 8'   4' x 10'

Custom lengths up to 40' are available in 3', 4', 5' and 6' widths.

See suggested retail price list for additional information.




# CLEAN STRIDE

## FEATURES AND BENEFITS

- Available in two versions: Carpet/Rubber Frame with adhesive insert and Rubber Frame only with adhesive insert (Product Number 410). Adhesive inserts are sold separately (Product Number 412).
- As foot traffic passes over the mat, the WaterHog™ surface scrapes larger particles while the adhesive insert captures smaller dust & dirt. With two footsteps on Clean Stride adhesive insert, over 90% of dirt particles are removed.
- Clean Stride mats provide highly effective dirt and dust removal methods for factories, computer rooms, warehouses, school gymnasiums, healthcare facilities and more.
- The Clean Stride adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.
- Green friendly rubber backing has 10%–15% recycled rubber content. Available with smooth or cleated back. See page 45 for backing chart.
- Not recommended for wet areas.

## COLORS



## STANDARD SIZES

Rubber Frame 26.5" x 32" 36.5" x 46"

Carpet/Rubber Frame 26.5" x 63.5" 36.5" x 92.5"

See suggested retail price list for additional information.



# STYLIST

## FEATURES AND BENEFITS

- The most effective barrier to keep moisture, dirt and dust from being tracked inside.
- Perma Dye™ yarn resists fading.
- Mat stays attractive even in the heaviest traffic conditions.
- Smooth non-skid vinyl backing.
- Not launderable.
- Designed to release dirt easily with daily vacuuming, or can be cleaned with any commercial carpet cleaning system.

PRODUCT NUMBER 872



## COLORS



## STANDARD SIZES

2' x 3'      3' x 4'      4' x 6'  
3' x 5'      4' x 8'  
3' x 10'

Custom lengths up to 40' are available in 3', 4' and 6' widths.

See suggested retail price list for additional information.

INDOOR

# IMPRESSIONIST

## FEATURES AND BENEFITS

- Durable, continuous filament olefin yarn is colorfast and resists stains.
- Dense pile yarn holds over two gallons of moisture/sq. yd.
- Attractive colors hide soil and complement surroundings.
- Smooth non-skid vinyl backing.
- Not launderable.
- Designed to release dirt easily with daily vacuuming, or can be cleaned with any commercial carpet cleaning system.

PRODUCT NUMBER 871



## COLORS



## STANDARD SIZES

2' x 3'      3' x 4'      4' x 6'      3' x 60'  
3' x 5'      4' x 8'      4' x 60'  
3' x 10'      6' x 60'

Custom lengths up to 60' are available in 3', 4' and 6' widths.

See suggested retail price list for additional information.

# COBBLESTONE™

## FEATURES AND BENEFITS

- Sturdy ribbed design scrapes and traps soil within the recessed grooves.
- Durable polypropylene face is effective against dust and lighter weight soil.
- Smooth non-skid vinyl backing.
- Not launderable.
- Easily cleaned by vacuum, hose or pressure washer.

## COLORS



## STANDARD SIZES

2' x 3'	3' x 4'	4' x 6'	3' x 60'	Custom lengths up to 60' are available in 3', 4' and 6' widths. See suggested retail price list for additional information.
	3' x 5'	4' x 8'	4' x 60'	
	3' x 10'		6' x 60'	



## INDOOR

# VICTORY™

## FEATURES AND BENEFITS

- Multi-directional design is absorbent and highly effective for scraping off soil and trapping it within recessed grooves.
- Fast drying heavyweight polypropylene looks better, longer.
- Attractive designer colors.
- Smooth non-skid vinyl backing.
- Not launderable.
- Designed to release dirt easily with daily vacuuming, or can be cleaned with any commercial carpet cleaning system.

## COLORS



## STANDARD SIZES

2' x 3'	3' x 4'	4' x 6'	3' x 60'	Custom lengths up to 60' are available in 3', 4' and 6' widths. See suggested retail price list for additional information.
	3' x 5'	4' x 8'	4' x 60'	
	3' x 10'		6' x 60'	



# WATERHOG™ IMPRESSIONS

## FEATURES AND BENEFITS

- No set up charge! Fast Service! Orders ship within 7 days from time of final approval.
- Logos are printed onto carpet face utilizing state-of-the-art Jet Print Technology.
- 3-D images are possible with high definition print system. Fine details and "phase in" colors produce beautiful logo designs.
- Premium 100% rubber backing with rubber reinforced bi-level cleaning surface provides years of performance life.
- Available with cleated or smooth backings; comes standard with water dam border to hold moisture on the mat and off the floor.
- Easy to clean! Simply use vacuum or carpet extraction cleaning methods and hang to dry.
- View our logo database at [www.andersenco.com](http://www.andersenco.com) for your logo design.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'	4' x 6'	6' x 8'
3' x 4'	4' x 8'	6' x 12'
3' x 5'	4' x 10'	
3' x 10'		

Custom lengths up to 60' are available.



PRODUCT NUMBER 238

# WATERHOG™ LOGO INLAY

## FEATURES AND BENEFITS

- **No set up charge! Fast Service!**
- Designs are created using a unique inlay process that can include up to 18 colors per mat at no additional charge. Search over 500,000 designs in logo database at [www.andersenco.com](http://www.andersenco.com)
- 100% UV resistant polypropylene fabric for indoor and outdoor placements.
- Molded rubber backing resists curling and cracking in all types of weather. Available in smooth and cleated backing types. See page 45 for backing chart.
- Green friendly rubber backing has 10% -15% recycled content. Resists curling and cracking.
- Available with your choice of Classic Rubber border or Fashion Fabric border.
- Perfect for banks, property management facilities, sports arenas, airports and any place with heavy foot traffic.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'	4' x 6'	6' x 8'
3' x 4'	4' x 8'	6' x 12'
3' x 5'	4' x 10'	6' x 16'
3' x 10'	4' x 12'	6' x 20'
3' x 12'	4' x 16'	
3' x 16'	4' x 20'	
3' x 20'		

Custom lengths up to 60' are available.

\*These colors are available in 3' and 4' widths only. See suggested retail price list for exact color availability.



# WATERHOG™ PREMIER ROLL GOODS LOGO INLAY

## FEATURES AND BENEFITS

### • No Set Up Charge!

- 14 logo colors and 8 background colors to choose from.
- Designed to be installed like carpeting or loose laid like mats.
- Premium anti-static 100% polypropylene fiber system will not fade or rot, cleans easily and dries fast.
- Exclusive rubber-reinforced face nubs prevent pile from crushing, ensuring maximum product performance and appearance retention.
- Custom sizes over 6' wide are seamed together.
- Custom sizes available with or without edging up to 12' x 50'.
- Green friendly rubber backing has 10%-15% recycled content. Resists curling and cracking.
- All WaterHog™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.

### LOGO COLORS



### BACKGROUND COLORS



# WATERHOG™ SCULPTURES

## FEATURES AND BENEFITS

- Logo is permanently molded into the material and will not crush.
- Perfect for home builders, real estate companies, apartment communities and large corporate accounts.
- 100% UV resistant polypropylene fabric for outdoor placements.
- Affordable logo option when larger quantities of mats are required.
- Green friendly rubber backing has 10% -15% recycled content. Resists curling and cracking.
- All WaterHog™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'    3' x 4'    3' x 5'    3' x 10'    4' x 6'    4' x 8'

**CLASSIC BORDER**  
PRODUCT NUMBER 355  
**FASHION BORDER**  
PRODUCT NUMBER 350



# SUPERSCAPE™ LOGO

## FEATURES AND BENEFITS

- No set up charge! Fast Service!
- All rubber logo mat. Images are permanently molded into the mat.
- 7 colors available. Place up to 5 colors per mat on a black all-rubber base.
- Excellent durability and traction properties.
- Provides a slip-resistant surface which effectively removes tough dirt, grime and water from feet.
- Available in smooth and cleated backing types. See page 45 for backing chart.
- All SuperScape™ Logo mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2½' x 3'

3' x 5'

3' x 10'

4' x 6'

PRODUCT NUMBER 559



# CLASSIC IMPRESSIONS™

## FEATURES AND BENEFITS

- No set up charge! Fast Service!
- Search over 500,000 designs in our logo database at [www.andersenco.com](http://www.andersenco.com)
- Reproduction of fine details, shading and 3-D images is easily achieved with Andersen's state-of-the-art digital printer.
- 100% premium rubber backing with long-wearing, static-dissipative nylon carpet for years of trouble-free performance.
- Green friendly rubber backing has 10%-15% recycled content. Resists curling and cracking.
- Available in smooth and cleated backing types. See page 45 for backing chart.
- Available with oil/grease resistant 100% Nitrile Rubber backing when applications call for additional protection.
- LUTRADUR™ primary substrate creates a strong bond between the rubber and carpet.
- All Classic Impressions™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'	3' x 5'	4' x 6'	5' x 8'	6' x 10'
3' x 4'	3' x 10'	4' x 8'	5' x 10'	6' x 12'

Custom lengths up to 40' are available.

PRODUCT NUMBER 75



# COLORSTAR™ COMPUTUFT

## FEATURES AND BENEFITS

### • No set up charge! Fast Service!

- Static dissipative mats are guaranteed against color loss for 10 years.
- Logos can be designed using up to six of the twenty available colors.
- State-of-the-art computerized tufting and 26 oz. square yard UV-stable nylon produces long-lasting, beautiful graphic logos.
- Available in smooth or cleated backing types. See page 45 for backing chart.
- LUTRADUR™ substrate creates a strong bond between the rubber and the carpet.
- All ColorStar™ Computuft mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'	3' x 5'	4' x 6'	5' x 8'	6' x 10'
3' x 4'	3' x 10'	4' x 8'	5' x 10'	6' x 12'

Custom lengths up to 40' are available.



# BACKING OPTION CHART

Products	Normal Placements on Hard Surfaces	Heavy Pedestrian Traffic on Hard Surfaces	Continuous Cart or Buggy Traffic on Hard Surfaces	Placements on Commercial Carpet **
Waterhog™ Premier & Grand Premier	C	S	S	C, MG
Waterhog™ Premier Fashion	C	S	S	C, MG
Waterhog™ Grand Classic	C	S	S	C, MG
Waterhog™ Classic & Classic Diamond	C	S	S	C, MG
Waterhog™ Fashion & Fashion Diamond	C	S	S	C, MG
Waterhog™ Premier Roll Goods	S	S	S	S, MH
Waterhog™ Classic Tile & Premier Tile	C	C	C	NR
Brush Hog	S	S	S	S, MH
SuperScrape™	S	S	S	S, MH
Safety Scrape™	C	S	S	C, MG
Flex Tip	S	S	S	S, MH
Waterhog™ DiamondCord	C	NR	NR	C, MG
Waterhog™ Masterpiece Select	C	NR	S	C, MG
Tri-Grip™	C	S	S	C, MG
ColorStar Crunch™ & Colorstar™	C	S	S	C, MG
Clean Stride	C	S	S	C, MG
Stylist	S	S	S	S, MH
Impressionist	S	S	S	S, MH
Cobblestone	S	S	S	S, MH
Victory	S	S	S	S, MH
Waterhog™ Impressions	C	S	S	C, MG
Waterhog™ Logo Inlay	C	S	S	C, MG
Waterhog™ Premier Roll Goods Logo Inlay	S	S	S	S, MH
Waterhog™ Sculptures	C	S	S	C, MG
SuperScrape™ Logo	S	S	S	S, MH
Classic Impressions™	C	S	S	C, MG
Colorstar™ CompuTuff	C	S	S	C, MG
Hog Heaven™ & Hog Heaven™ Confetti	S	S	S	S, MH
Hog Heaven™ Plush & Hog Heaven™ Fashion	S	S	S	S, MH
Happy Feet™	C	C	NR	C, MG
AirFlex™	*	*	NR	*, MH
Comfort Scrape™ & Comfort Flow™	*	*	NR	*, MH
Sure Cushion™ Yellow & Ribbed	S	NR	NR	S, MH
Sure Cushion™ Textured & Heavy Duty	S	NR	NR	S, MH
Traction Hog	*	*	*	MH
Traction Tread & Traction Tread Soft	S	S	S	S, MH
Sure Tread V-Groove	S	S	S	S, MH
Glow Hog	C	S	S	C, MG

C=Cleated Back S=Smooth Back NR=Not Recommended MH=Miracle Hold underlayment required MG=Magna-Grip underlayment required

\*Comfort Flow, Comfort Scrape, AirFlex and Traction Hog mats have a unique backing design.

\*\*Cleated backings will keep mats in place on many types of commercial carpet, especially ones with 100% loop or cut/loop pile construction. It may be necessary to use a carpet underlayment on some types of carpeting, especially ones that have a cut pile construction, to keep mats in place. In these cases, we recommend our Magna-Grip™ underlayment for Gripper Back mats and our Miracle Hold™ underlayment for Flat Back mats.

# HOG HEAVEN™

## FEATURES AND BENEFITS

- Static dissipative nitrile rubber surface is resistant to oils and chemicals.
- Textured surface for superior slip resistance. Welding safe.
- Closed-cell cushion affords outstanding comfort and is permanently molded to the Nitrile rubber top.
- Rubber border will not curl or crack. Available in four OSHA colored safety borders.
- Available in two thicknesses: 5/8" and 7/8"
- All Hog Heaven™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

Note: Colors subject to change from dye lot to dye lot.



## STANDARD SIZES

2' x 3'      3' x 5'      3' x 12'      4' x 6'      5.4' x 8'  
Custom lengths up to 67' are available.

5/8" BLACK BORDER  
PRODUCT NUMBER 421

5/8" STRIPED BORDER  
PRODUCT NUMBER 423

7/8" BLACK BORDER  
PRODUCT NUMBER 422

7/8" STRIPED BORDER  
PRODUCT NUMBER 424

# HOG HEAVEN™ CONFETTI

## FEATURES AND BENEFITS

- Durable comfort in an attractive environmentally friendly recycled construction.
- Static dissipative construction makes these mats ideal for most commercial, retail, hospitality, and healthcare applications.
- Closed-cell cushion backing provides long-lasting comfort without breaking down.
- Slip-resistant 95% recycled post consumer rubber car tire top surface. Welding safe.
- Beveled edges and curved corners create a safer transition from mat to floor.
- Available in two thicknesses: 5/8" and 7/8"
- All Hog Heaven™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS

*Note: Colors subject to change from dye lot to dye lot.*



10  
blue

11  
gold

12  
grey

13  
green

## STANDARD SIZES

2' x 3'

3' x 5'

3' x 12'

Custom lengths up to 67' are available.

5/8" PRODUCT NUMBER 443

7/8" PRODUCT NUMBER 444

# HOG HEAVEN™ PLUSH

## FEATURES AND BENEFITS

- Designed for maximum worker comfort and striking appearance.
- Closed-cell cushion backing provides long-lasting comfort without breaking down.
- Static-dissipative, slip-resistant 100% solution-dyed nylon top surface will not fade.
- Beveled edges and curved corners create a safer transition from mat to floor.
- Available in smooth backing. See page 45 for backing chart.
- Available in two thicknesses: 5/8" and 7/8"
- All Hog Heaven™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS



10  
navy spice

11  
cinnamon

12  
confetti grey

13  
forest green

14  
brandywine

## STANDARD SIZES

2' x 3'

3' x 5'

3' x 12'

Custom lengths up to 67' are available.

5/8"  
PRODUCT NUMBER 446

7/8"  
PRODUCT NUMBER 447

# HOG HEAVEN™ FASHION

## FEATURES AND BENEFITS

- Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade.
- Solution-dyed fabric is molded to a solid nitrile rubber surface for easy cleaning and attractive appearance.
- Closed-cell cushion backing is molded to the nitrile surface, providing a comfortable long-lasting mat.
- Beveled border remains flexible for the life of the product and will not crack or curl.
- Available in smooth backing. See page 45 for backing chart.
- All Hog Heaven™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS



## STANDARD SIZES

2' x 3'

3' x 5'

3' x 12'

33" width is available in lengths up to 67"  
(5/8" or 7/8" thickness).




# HAPPY FEET™

Happy Feet™ mats combine exceptional anti-fatigue performance with unique safety features and versatility to make it the perfect choice for use on production lines or any industrial or commercial anti-fatigue environments. This static dissipative mat offers two tough surface options for wet or dry environments. For continuous-length applications, Happy Feet™ Linkable mats eliminate the need to handle large cumbersome rolls. Happy Feet™ mat's tough construction features a dense rubber cushion encapsulated with solid nitrile rubber that is welding safe.

nitrile rubber • ½" thickness • linkable

See page 54 for additional product information.



## FEATURES AND BENEFITS

- Available in two tough Static dissipative surfaces:  
**Texture-Surface:** for dry to damp workstations where traction is not critical.  
**Grip-Surface:** for wet work stations where maximum traction or scraping is crucial.
- Dense rubber cushion construction encapsulated with solid Nitrile rubber resists heel damage and protects cushion from exposure to oil, grease, chemicals, etc.
- Grippers on the back minimize movement.
- Welding safe.
- Low profile borders will not curl or crack.
- Available in 3' x 5' linkable sections for continuous length applications.
- All Happy Feet™ mats are certified slip resistant by the National Floor Safety Institute.



### TEXTURE-SURFACE



### GRIP-SURFACE




### LINKABLE



# HAPPY FEET™

## CONSTRUCTION

- A. Solid Nitrile rubber encapsulation totally protects the rubber cushion core.
- B. Beveled edges on all four sides for added safety
- C. 3/8" thick rubber cushion has excellent anti-fatigue properties



## STANDARD SIZES

2' x 3'  
3' x 5'  
3' x 10'

Linkable: 3' x 5'

1/2" thickness

## COLORS



## TEST METHOD

ANSI/EDS S7.1: 1994 protection of electrostatic discharge of susceptible items: Flooring Materials

## TEST RESULTS

	SURFACE 50% Relative Humidity	TO	GROUND 12% Relative Humidity
Texture-Surface	$3.2 \times 10^5$ ohms		$3.4 \times 10^5$ ohms
Grip-Surface	$9.4 \times 10^6$ ohms		$1.3 \times 10^7$ ohms

	SURFACE 50% Relative Humidity	TO	SURFACE 12% Relative Humidity
Texture-Surface	$8.0 \times 10^5$ ohms		$1.3 \times 10^6$ ohms
Grip-Surface	$2.7 \times 10^7$ ohms		$3.3 \times 10^7$ ohms

## TEST METHOD

Static Decay Test Method 4046 Federal Standard 101B/NFPA99  
12-4.1.3.8(F)(3)(i)

## TEST RESULTS

	DECAY TIME	DECAY TIME
Maximum Time Recorded	-5000 Volt Charge .01 Seconds	+5000 Volt Charge .01 Seconds

\*Results are the same for Texture and Grip-Surface.

## FEATURES AND BENEFITS

- Perfect for retail or commercial applications and for work in wet or dry environments.
- Launderable and highly chemical-resistant Nitrile Rubber backing provides excellent cushion during use, giving maximum durability and longer surface life.
- Solution dyed polypropylene surface means exceptional stain resistance and ease of maintenance. To clean, simply sweep, vacuum or hose off as needed.
- Rounded corners and fashionable colors add the finishing touches to this attractive high-performance anti-fatigue mat.
- AirFlex's comfortable, functional dome design provides excellent relief from back and leg stress.
- All AirFlex™ mats are certified slip resistant by the National Floor Safety Institute.



## COLORS



320  
granite

321  
cocoa  
brown

322  
cobalt  
blue

323  
coal  
black

324  
black

AirFlex™

AirFlex™  
-all rubber-

## STANDARD SIZES

2' x 3'

3' x 5'

7/16" thickness

AIRFLEX™ ALL RUBBER  
PRODUCT NUMBER 964

AIRFLEX™  
PRODUCT NUMBER 965



# COMFORT SCRAPE™

## FEATURES AND BENEFITS

- Light weight makes Comfort Scrape™ easy to clean and handle.
- 100% high-density, closed cell nitrile cushion provides excellent anti-fatigue and anti-static properties.
- Anti-microbial treated to guard against odors and degradation.
- Beveled edges for safe access.
- Nitrile cushion is oil and grease proof and welding safe.
- Perfect for packing and assembly areas, industrial workstations and food services locations.
- All Comfort Scrape™ mats are certified slip resistant by the National Floor Safety Institute.



## STANDARD SIZES

2' x 3'

3' x 5'  
3' x 9'

4' x 6'

3/8" thickness.

PRODUCT NUMBER 430

# COMFORT FLOW™

## FEATURES AND BENEFITS

- Light weight makes Comfort Flow™ easy to clean and handle.
- 100% high-density, closed cell nitrile cushion provides excellent anti-fatigue and anti-static properties.
- Anti-microbial treated to guard against odors and degradation.
- Beveled edges for safe access.
- Nitrile cushion is oil and grease proof and welding safe.
- Perfect for food processing areas, machine shops and heavy industrial applications.
- Liquids and debris flow easily through holes.
- All Comfort Flow™ mats are certified slip resistant by the National Floor Safety Institute.



## STANDARD SIZES

2' x 3'

3' x 5'  
3' x 9'

4' x 6'

3/8" thickness.

PRODUCT NUMBER 420

# SURE CUSHION YELLOW BORDER



## STANDARD SIZES

3/8" Thickness

2' x 3'

3' x 5'

3' x 12'

3' x 60'

## COLOR




charcoal  
w 4" yellow border

NOTE: Positively not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.

ANTI-FATIGUE

# SURE CUSHION RIBBED



## STANDARD SIZES

3/8" Thickness

2' x 3'

3' x 5'

3' x 12'

2' x 60'

3' x 60'

4' x 60'

## COLOR



charcoal

NOTE: Positively not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.

# SURE CUSHION TEXTURE

PRODUCT NUMBER 910



## STANDARD SIZES

3/8" Thickness

2' x 3'    3' x 5'    3' x 12'    3' x 60'

## COLOR



charcoal

NOTE: Positively not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.

ANTI-FATIGUE


# SURE CUSHION HEAVY DUTY

PRODUCT NUMBER 911

Solid vinyl surface gives years of service.



Thick sponge offers proper leg and back support.



• 1/2" mat for heavy use areas

• 80 mil solid vinyl surface combined with a 420 non-closed cell vinyl cushion back

• Beveled on all sides for safety

## STANDARD SIZES

1/2" Thickness

2' x 3'    3' x 5'    3' x 12'    3' x 60'

## COLOR



charcoal

NOTE: Positively not guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.

# TRACTION HOG™

## FEATURES AND BENEFITS

- Slip-resistant surface with silicon carbide coating for maximum performance. Coefficient of friction .78
- Anti static, grease proof Nitrile rubber.
- Low profile border mat available with or without drain holes.
- Unique disk pattern on back of mat keeps mat in place.
- Perfect for food service, wet and slippery manufacturing areas, walk in coolers and freezers, oily areas and any other areas that require a slip-resistant surface.
- All Traction Hog™ mats are certified slip resistant by the National Floor Safety Institute.



## STANDARD SIZES

3' x 5' — (approx. 35" x 59")  
3' x 10' — (approx. 35" x 118")  
3' x 20'\* — (approx. 35" x 237")

\*non-drainable only

**NON-DRAINABLE  
PRODUCT NUMBER 418**


**DRAINABLE  
PRODUCT NUMBER 419**

## FLOOR PROTECTION

# SURE TREAD V-GROOVE

These 1/8" thick vinyl runners are chemical resistant and provide protection for all types of floors from abuse due to chairs, tables and foot traffic. They're great for walkways, inclines and ramps and can be rolled for easy storage.

**BLACK BORDER PRODUCT NUMBER 940**



## STANDARD SIZES

3' x 105' • 4' x 105'

NOTE: Custom-cut lengths available.

## COLORS

black

## FLOOR PROTECTION/SLIP-RESISTANT

# TRACTION TREAD RUBBER RUNNERS

Slip-resistant floor protection matting made from chemical-resistant 100% Nitrile rubber. Traction Tread rubber runners are UV protected, anti-static and ideal for numerous production locations, walkways, gym floor protection, parts counters, lab areas and food service applications.

**PRODUCT NUMBER 50**



## STANDARD SIZES

1/8" thick

33" x 40' • 44" x 40' • 58" x 40'

NOTE: Custom lengths available



## COLORS

black

## ANTI-FATIGUE/SLIP-RESISTANT

# TRACTION TREAD SOFT

Premium anti-static 100% Nitrile closed cell rubber cushion mats and runners are chemical resistant and offer anti-fatigue comfort and floor protection. Traction Tread Soft runners are UV protected, anti-microbial treated and designed for various applications including laboratories, locker rooms, parts departments, and other commercial and industrial applications.

**PRODUCT NUMBER 56**



## STANDARD SIZES

3/8" thick

33" x 40' • 44" x 40' • 58" x 40'

NOTE: Custom lengths available



## COLORS

black

# SUPERSCAPE™

## FEATURES AND BENEFITS

- Durable 100% Nitrile Rubber mat provides slip-resistant surface.
- Molded tread-surface face cleats effectively scrape tough dirt and grime off shoes.
- Grease proof nitrile rubber.
- Perfect for use outside of entrances as a scraper mat or as a slip resistant mat in wet areas.
- SuperScape™ mats also available with safety message, welcome message, or custom logo.  
*(see page 42 for information on SuperScape™ Logo mats)*
- All SuperScape™ mats are certified slip resistant by the National Floor Safety Institute.



## STANDARD SIZES

2½' x 3'

3' x 5'

3' x 10'

4' x 6'

4' x 8'

6' x 8'

PRODUCT NUMBER 450

# SAFETY SCRAPE™

## FEATURES AND BENEFITS

- Durable 100% Nitrile Rubber construction for oil and chemical resistance.
- Molded grip-surface face cleats effectively scrape tough dirt and grime off shoes and provide an excellent anti-slip surface.
- Available cleated backing.
- Available in four OSHA-approved color-stripe safety borders.
- Perfect for use outside of entrances as a scraper mat or as a slip-resistant mat in wet areas.
- All Safety Scrape™ mats are certified slip resistant by the National Floor Safety Institute.



## STANDARD SIZES

2' x 3'

3' x 5'

3' x 10'

4' x 6'

4' x 10'

## BORDER COLORS

01  
danger  
red

02  
caution  
yellow

03  
warning  
orange

04  
safety  
green

black

PRODUCT NUMBER 400


# GLOW HOG

## FEATURES AND BENEFITS


- Made of durable 100% Nitrile Rubber to ensure long performance life.
- Recessed glow in the dark directional arrows glow for over 2 hours after lights go out & are recharged once lights are restored.
- Provides pedestrian traffic direction in low or no-light conditions.
- Green friendly rubber backing has 10%-15% recycled rubber content.
- Molded slip resistant top provides safe walking surface.
- For use in any facility where emergency conditions may cause a reduction in light for evacuation or after hours access.
- Available in smooth or cleated back.
- All Glow Hog mats are certified slip resistant by the National Floor Safety Institute.




## STANDARD SIZES



2' x 3'



3' x 5'



4' x 6'



PRODUCT NUMBER 227



# KNEELING COMFORT LOGO

anti-fatigue

## FEATURES AND BENEFITS

- No art charges.
- One or Two color logos only.
- Quick ship times.
- Available on foam only or foam and rubber base version.
- Minimum order 4 cases (4 mats per case).
- Can match Pantone Colors.



 National Women Business  
Owners Corporation™

**100%**  
Customer Satisfaction  
GUARANTEED



## KNEELING COMFORT Logo - 3/4" Foam Only

Product No. 434

SIZE	CASE QUANTITY/PRICE - 4 mats per box						WEIGHT (lbs) per case of 4
	4-12	13-25	26-37	38-125	126-500	500+	
12" x 22"	102.16	87.76	83.76	79.76	75.76	71.76	3

Colors: Can match any Pantone Color  
 One or Two Color Logos Only  
 4 Case Minimum  
 4 Mats to a case

## KNEELING COMFORT Logo- 7/8" with Rubber

Product No. 436

SIZE	CASE QUANTITY/PRICE - 4 mats per box						WEIGHT (lbs) per case of 4
	4-12	13-25	26-37	38-125	126-500	500+	
12" x 22"	132.40	118.00	114.00	110.00	106.00	102.00	3


Colors: Can match any Pantone Color  
 One or Two Color Logos Only  
 4 Case Minimum  
 4 Mats to a case

# HOG HEAVEN™ MARBLE TOP

anti-fatigue

## FEATURES AND BENEFITS

- Extra thick (.170") rubber top ensures long life.
- Closed cell Nitrile cushion provides long lasting comfort.
- Smooth diamond patterned rubber top allows workers to pivot freely and is easy to clean.
- Available in 5/8" and 7/8" thicknesses.
- Anti-static.
- Cushion is permanently molded to rubber top; will not delam like glue-on systems.
- For use in dry environments.





## HOG HEAVEN MARBLE TOP - 5/8" Product No. 448

SIZE	Size Approx. in.	PRICE	Shipping Wt. (lbs.)
2 x 3	24 x 33	61.34	8.3
3 x 5	33 x 58	153.34	19.6
3 x 12	33 x 142	368.02	45.1
4 x 6	46 x 69	245.34	31.2

**SPECIAL SIZES** – Prices & Weights are per Linear Foot (\$). 65' maximum length.

	Price	Shipping Wt. (lbs)
3' WIDTHS	33.72	3.52
4' WIDTHS	44.98	4.87

## HOG HEAVEN MARBLE TOP - 7/8" Product No. 449

SIZE	Size Approx. in.	PRICE	Shipping Wt. (lbs.)
2 x 3	24 x 33	69.44	9.5
3 x 5	33 x 58	173.58	22.6
3 x 12	33 x 142	416.60	52.8
4 x 6	46 x 69	277.74	36.2

**SPECIAL SIZES** – Prices & Weights are per Linear Foot (\$). 65' maximum length.

	Price	Shipping Wt. (lbs)
3' WIDTHS	38.18	4.12
4' WIDTHS	50.92	5.70

**COLORS:**

10 Midnight Swirl	12 Blue Merle	14 Vintage Pecan
11 Granite Dusk	13 Amber Maple	

# COMFORT FLOW MODULAR TILE

anti-fatigue

## FEATURES AND BENEFITS

- 100% High Density Nitrile Sponge Rubber construction offers outstanding anti-fatigue properties
- Comfort Flow Modular Tiles can be custom fit in any work station configuration.
- The 18" x 18" x 9/16" tiles are lightweight and flexible for easy handling.
- Anti-static and welding safe.
- Anti-microbial treatment lasts for the life of the mat.
- Certified slip-resistant by the National Floor Safety Institute.
- Beveled safety ramps for safe transition from edges of installation.
- These grease and oil proof tiles are available with or without drain holes.
- Use in kitchens, food processing areas, wet or dry work stations, machine shops, and manufacturing facilities



Corner Ramp



Side Ramp





**COMFORT FLOW MODULAR TILE w/ holes Product No. 401**  
**COMFORT FLOW MODULAR TILE w/out holes Product No. 402**

	SIZE Approx. in.	Tiles /Case	PRICE	Wt. (lbs.) /Case
With Holes	18" x 18" x 9/16"	6	179.84	3.5
Without Holes	18" x 18" x 9/16"	6	179.84	3.7

Color: Black

**RAMPS - Product #403**


	SIZE	PRICE	Shipping Wt. (lbs.)
Female Corner Ramp	4 1/2" x 23 1/8"	13.96	1.6
Female Side Ramp	4 1/2" x 18"	11.70	1.4
Male Corner Ramp	5 1/2" x 23 1/8"	13.96	1.8
Male Side Ramp	5 1/2" x 18"	11.70	1.6

**NOTE:** One section of rampling is required for every 18" side of a tile that is exposed to the exterior edge of a configuration. Side ramps are required for straight sides of a configuration. One corner ramp is required to turn a corner.

**Example:** To put raming on the outside of a square configuration that is 4 tiles wide by 4 tiles wide the following ramps are needed:

**Ramps required:** 6 males side ramps, 6 female side ramps, 2 male corner ramps, 2 female corner ramps.

**SEE DIAGRAM**



# Kneeling Comfort



**Nitrile Rubber Base**



**Foam Only**

## **FEATURES & BENEFITS**

- Reduces knee trauma and low back stress
- Ideal for occupations that require kneeling.
- Will not absorb liquids.
- Kneeling Comfort with Nitrile Rubber base - 7/8" thick
- Kneeling Comfort with foam only - 3/4" thick
- Self extinguishing. Silicone free.
- Built-in handle is convenient to carry & store.
- Cleans easily. Use soap and water, pressure wash, or steam clean.
- Can be used on indoor or outdoor surfaces
- Designed for construction workers, technicians, mechanics, engineers, utility workers, manufacturers or anyone who is needed to move from place to place to perform work tasks.
- 100% Customer Satisfaction guaranteed.



<b>KNEELING COMFORT - 3/4" Foam Only</b>				<b>Product No. 432</b>	
SIZE		QUANTITY/PRICE - 4 mats per box			WEIGHT (lbs)
		1 - 6	7 - 30	31+	per case of 4
12" x 22"		59.76	56.80	55.12	3

PRICE - 1 mat per box	WEIGHT (lbs)
18.96	per box of 1
	1.5

<b>KNEELING COMFORT - 7/8" with Rubber</b>				<b>Product No. 433</b>	
SIZE		QUANTITY/PRICE - 4 mats per box			WEIGHT (lbs)
		1 - 6	7 - 30	31+	per case of 4
12" x 22"		90.00	85.52	82.96	9


PRICE - 1 mat per box	WEIGHT (lbs)
24.50	per box of 1
	3



# **WATERHOG** IMPRESSIONS



## **FEATURES & BENEFITS**

- Versatile printed logos with Waterhog performance!
- 17 colorways to accommodate all logos.
- 3-D images and phase-in colors
- Premium 100% rubber backing with long wearing nylon carpet for years of trouble free performance.
- Certified Slip-Resistant by the National Floor Safety Institute. 
- Numerous sizes ranging from 2' x 3' to 6' x 60'.
- **NO SETUP CHARGE! FAST SERVICE!** Orders ship on an average of 7 working days from time of final approval!
- Search our website ([www.andersenco.com](http://www.andersenco.com)) logo database for your logo design! There are over 700,000 designs available for viewing!



**No Art Charges! Fast Shipments!**

WATERHOG IMPRESSIONS LOGO MATS					Product No. 238
SIZE	QUANTITY/PRICE				Shipping Wt. (Lbs)
	1	2-10	11-25	26+	
2 x 3 (23" x 35")	N/A	131.56	94.46	91.34	5
3 x 4 (35" x 45")	250.34	179.58	154.58	150.48	9
3 x 5 (35" x 58")	269.52	207.34	179.14	175.08	12
3 x 10 (35" x 116")	448.86	381.06	340.04	332.34	21
4 x 6 (45" x 69")	366.36	308.20	271.36	266.06	18
4 x 8 (45" x 96")	480.48	398.62	359.28	347.82	23
4 x 10 (45" x 116")	610.60	513.70	452.30	443.40	29
6 x 8 (70" x 95")	801.34	714.60	677.16	661.20	35
6 x 12 (70" x 142")	924.72	846.04	769.08	742.38	52
<b>SPECIAL SIZES – Prices are per Linear Foot (\$).</b>					
3' WIDTHS	62.60	49.38	42.50	41.38	
4' WIDTHS	67.18	56.52	49.76	48.78	
6' WIDTHS	110.20	98.26	93.12	90.92	

**Note:** Pricing is calculated on all Logo Mat styles by individual size, quantity, style, and color combination. Different size Logo Mats and standard mats cannot be combined for quantity discounts.

Available in Standard Cleated Back and available in Smooth Back on request.

**NO ART CHARGES**

