

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : Aluminum Safe Low Foam Hot Tank Cleaner
 Material number : U1001LF
Manufacturer or supplier's details
 Company : Lyn Distributing Inc.
 Address : 965 North Redwood Road
 North Salt Lake, Utah 84054
 Telephone : 801-295-5022

Emergency telephone numbers	
For SDS Information	: Compliance Services 1-801-201-1135
For a Medical Emergency	: 801-295-5022- All Calls Recorded
For a Transportation Emergency	: 801-295-5022 - All Calls Recorded.
	-

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	powder
Color	White
Odor	mild neutral odor

GHS Classification

Acute toxicity (Oral) : Category 4
 Skin corrosion : Category 1A
 Serious eye damage : Category 1
 Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS Label element

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**
 P260 Do not breath the dust or mist.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.

SAFETY DATA SHEET

5`i a]bi a `GUZ' @k `<chHUb_`WYUbyf

....

Date 9/08/2022

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel sick. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

Confirmed animal carcinogen with unknown relevance to humans

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
sodium metasilicate	6834-92-0	> 60 - < 90
sodium carbonate	497-19-8	> 20 - < 30

SAFETY DATA SHEET

Aluminum Safe Low Foam Hot Tank Cleaner

Date 9/08/2022

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run off from fire fighting to enter drains or water ways.
Hazardous combustion products	: Carbon dioxide (CO ₂) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting if necessary

SAFETY DATA SHEET Aluminum Safe Low Foam Hot Tank Cleaner

Date 9/08/2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal. Neutralise with acid. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Avoid formation of fine dust particles. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage temperature	: 5 - 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
		TWA	30 ppm	ACGIH NIOSH REL
		TWA	10 ppm 24 mg/m ³	
		TWA	50 ppm 240 mg/m ³	
		TWA	25 ppm 120 mg/m ³	OSHA Z-1 OSHA P0

SAFETY DATA SHEET Aluminum Safe Low Foam Hot Tank Cleaner

Date 9/08/2022

Personal protective equipment

Respiratory protection	: In the case of dust or aerosol formation use respirator with an approved filter. Dust safety masks are recommended when the dust concentration is more than 10 mg/m ³ .
Hand protection Remarks	: Skin should be washed after contact. For prolonged or repeated contact use protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face shield and protective suit for abnormal processing problems.
Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of work day.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: White
Odor	: mild
Odor Threshold	: no data available
pH	: 12.2 - 12.6, 1% (as aqueous solution)
Melting point/freezing point	: not applicable
Boiling point	: not applicable
Flash point	: not applicable
Evaporation rate	: not applicable
Upper explosion limit Lower explosion limit	: not applicable
Vapor pressure	: not applicable
Relative vapor density	: not applicable
Density	: not applicable
Solubility Water solubility	: soluble in cold water, soluble in hot water
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	: not applicable

SAFETY DATA SHEET Aluminum Safe Low Foam Hot Tank Cleaner

Date 9/08/2022

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: no data available
Incompatible materials	: Acids, Metals
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	: Acute toxicity estimate : 1,409 mg/kg Method: Calculation method
---------------------	-----------------------------------------------------------------------

Components:

sodium metasilicate:

Acute oral toxicity	: LD50 rat: 1,153 mg/kg
---------------------	-------------------------

sodium carbonate:

Acute oral toxicity	: LD50 Oral rat: 4,090 mg/kg
---------------------	------------------------------

Acute inhalation toxicity	: LC50 rat: 5,750 mg/l Exposure time: 2 h
---------------------------	----------------------------------------------

Product Aluminum Safe Low Foam Hot Tank Cleaner

Skin corrosion/irritation Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation Remarks: May cause irreversible eye damage.

Respiratory or skin sensitization no data available

Germ cell mutagenicity no data available

Carcinogenicity no data available

Reproductive toxicity no data available

Sodium metasilicate: Sodium carbonate:

STOT - single exposure no data available

STOT - repeated exposure no data available

Aspiration toxicity no data available

Further information

Product: Aluminum Safe Low Foam Hot Tank Cleaner Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity no data available

Persistence and degradability no data available

Bioaccumulative potential

Product: Aluminum Safe Low Foam Hot Tank Cleaner

Partition coefficient: n-octanol/water no data available

Mobility in soil no data available

Other adverse effects no data available

Product: Aluminum Safe Low Foam Hot Tank Cleaner

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances. Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). Additional ecological information no data available.

SAFETY DATA SHEET Aluminum Safe Low Foam Hot Tank Cleaner

Date 9/08/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations 49 CFR Not regulated as a dangerous good

Special precautions for user not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components

CAS-No.

Component RQ Calculated product RQ (lbs) 1000*

0

*: Calculated RQ exceeds reasonably attainable upper limit. SARA 304 Extremely Hazardous Substances **Reportable Quantity**. This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard. **SARA 302**: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. **SARA 313**: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. **California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

SECTION 16. OTHER INFORMATION

Further information

HFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

OSHA GHS Label Information:

Hazard pictograms :



Signal word :

Danger:

Hazard statements :

Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary statements :

Prevention: Do not breathe dust or mist. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel sick. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.
Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services supporting this manufacturer, supplier or distributor.